



US00D359711S

United States Patent [19] Bell

[11] Patent Number: **Des. 359,711**
[45] Date of Patent: **** Jun. 27, 1995**

[54] **SEAT BELT ADJUSTER**
[76] Inventor: **Richard A. Bell**, 311 Forest, Mena,
Ark. 71953
[**] Term: **14 Years**
[21] Appl. No.: **22,739**
[22] Filed: **May 11, 1994**
[52] U.S. Cl. **D11/218; D11/200**
[58] Field of Search **D11/200-202,**
D11/212-218, 40, 87; 2/336, 337, 323; 24/182,
519, 532, 563, 171

5,054,815 10/1991 Gavagan .
5,088,161 2/1992 Robertson 297/483
5,090,097 2/1992 Koester, Jr. et al. 24/543
5,154,446 10/1992 Blake .
5,201,099 4/1993 Campbell 280/808
5,308,116 5/1994 Zawisa et al. 297/483
5,350,196 9/1994 Atkins 280/808

Primary Examiner—Ralf T. Seifert

[57] CLAIM

The ornamental design for the seat belt adjuster, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the seat belt adjuster showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

[56] **References Cited**
U.S. PATENT DOCUMENTS
600,887 3/1898 Petit 24/543
1,121,086 12/1914 Gedney D11/202
4,268,067 5/1981 Thomas .
4,826,250 5/1989 Ibanez .
4,880,254 11/1989 Müller 297/483




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

