



US00D359731S

United States Patent [19]
Higashibata et al.

[11] **Patent Number: Des. 359,731**
[45] **Date of Patent: ** Jun. 27, 1995**

- [54] **TELEVISION RECEIVER**
- [75] **Inventors:** Toru Higashibata, Osaka; Eiichiro Naito, Hyogo, both of Japan
- [73] **Assignee:** Matsushita Electric Industrial Co., Ltd., Osaka, Japan
- [**] **Term:** 14 Years
- [21] **Appl. No.:** 17,175
- [22] **Filed:** Jan. 6, 1994
- [30] **Foreign Application Priority Data**
Jul. 7, 1993 [JP] Japan 5-21002
- [52] **U.S. Cl.** **D14/126**
- [58] **Field of Search** D14/124-134,
D14/299; 348/825, 836, 838
- [56] **References Cited**
U.S. PATENT DOCUMENTS
D. 299,233 1/1989 Maki et al. D14/126

D. 306,724 3/1990 Inoue D14/126
D. 308,374 6/1990 Saito et al. D14/126
D. 342,500 12/1993 Wada et al. D14/126
D. 350,742 9/1994 Morita et al. D14/126

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] **CLAIM**
The ornamental design for a television receiver, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a television receiver showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is a rear elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

