



US00D359734S

United States Patent [19]

Nagele et al.

[11] Patent Number: Des. 359,734

[45] Date of Patent: ** Jun. 27, 1995

[54] FOLDABLE HOUSING FOR A PORTABLE TELEPHONE

[75] Inventors: Albert L. Nagele, Wilmette; Leonid Soren, Lincolnwood, both of Ill.

[73] Assignee: Motorola, Inc., Schaumburg, Ill.

[**] Term: 14 Years

[21] Appl. No.: 22,037

[22] Filed: Mar. 7, 1994

[52] U.S. Cl. D14/138; D14/147

[58] Field of Search D14/137, 138, 140, 142, D14/147, 148, 149-151, 240, 248, 116, 107, 100; 379/420, 419, 428, 440, 433, 434, 58-61; 455/90

[56] References Cited

U.S. PATENT DOCUMENTS

D. 297,735	9/1988	Soren et al. .	
D. 300,742	4/1989	Soren et al. .	
D. 300,827	4/1989	Soren et al. .	
D. 304,189	10/1989	Nagele et al. .	
D. 305,427	1/1990	Soren et al. .	
D. 318,050	7/1991	Elbaz et al.	D14/138
D. 321,349	11/1991	Colida	D14/138
D. 325,028	3/1992	Nagele et al. .	
D. 325,029	3/1992	Nagele et al. .	
D. 326,092	5/1992	Kikuchi et al.	D14/138
D. 327,062	6/1992	Taylor et al. .	
D. 334,746	4/1993	Novak .	
D. 336,087	6/1993	Siddoway et al. .	
D. 340,711	10/1993	Nagele et al. .	
D. 342,248	12/1993	Nagele et al. .	
D. 343,615	1/1994	Taylor .	
D. 343,616	1/1994	Nagele et al. .	
D. 343,835	2/1994	Nagele et al. .	
D. 345,356	3/1994	Ando et al.	D14/138
D. 347,221	5/1994	Siddoway	D14/138
D. 352,503	11/1994	Nagele	D14/138
4,926,474	5/1990	Marks	379/433

5,027,394 6/1991 Ono et al. 379/433 X
5,260,998 11/1993 Takagi

Primary Examiner—Jeffrey Asch

Attorney, Agent, or Firm—Kevin D. Kaschke; Jonathan P. Meyer

[57] CLAIM

The ornamental design for a foldable housing for a portable telephone, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a foldable housing for a portable telephone showing our new design in an open position;

FIG. 2 is a right side elevational view thereof in the open position, the left side elevational view thereof in the open position being a mirror image of the right side elevational view thereof in the open position;

FIG. 3 is a bottom side plan view thereof in the open position;

FIG. 4 is a rear side elevational view thereof in the open position;

FIG. 5 is a top side plan view thereof in the open position;

FIG. 6 is a top, front and left side perspective view thereof in a closed position;


FIG. 7 is a right side elevational view thereof in the closed position, the left side elevational view thereof in the closed position being a mirror image of the right side elevational view thereof in the closed position;

FIG. 8 is a bottom side plan view thereof in the closed position;

FIG. 9 is a rear side elevational view thereof in the closed position; and,

FIG. 10 is a top side plan view thereof in the closed position.

The broken line matter in all figures is for illustrative purposes only and forms no part of the claimed design.






FIG. 1




FIG. 6




FIG.7

FIG. 2




FIG.3




FIG.8




FIG. 4




FIG. 5



FIG. 10




FIG. 9