



US00D359736S

United States Patent [19]

[11] Patent Number: **Des. 359,736**

Ishibashi et al.

[45] Date of Patent: **** Jun. 27, 1995**

[54] **BEEPER**

[75] Inventors: **Osamu Ishibashi; Takaaki Makino,**
both of Koza, Japan

[73] Assignee: **Toyo Communication Equipment Co.,**
Ltd., Kanagawa, Japan

[**] Term: **14 Years**

[21] Appl. No.: **20,430**

[22] Filed: **Mar. 25, 1994**

[52] U.S. Cl. **D14/191**

[58] Field of Search D14/124, 191, 192, 299;
340/311.1; 455/38.1-38.4, 90, 92, 100, 343

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 245,111 7/1977 Maddock D14/191
- D. 303,669 9/1989 Hayasaka et al. D14/191
- D. 325,912 5/1992 Sakai et al. D14/191

- D. 342,736 12/1993 Scheid et al. D14/191
- D. 343,620 1/1994 Scheid et al. D14/191
- D. 346,167 4/1994 Hyvonen D14/191
- 5,307,511 4/1994 Takahashi 455/90
- 5,365,226 11/1994 Morishima 455/38.3

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Koda and Androlia

[57] **CLAIM**

The ornamental design for a beeper, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of the beeper showing our new design;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof; and,

FIG. 6 is a rear elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6