



US00D359746S

United States Patent [19]

[11] Patent Number: **Des. 359,746**

Katayama

[45] Date of Patent: **** Jun. 27, 1995**

[54] CAMERA

D. 344,743	3/1994	Fukushima et al.	D16/209
D. 345,173	3/1994	Sawyze	D16/209
D. 347,444	5/1994	Horikiri	D16/209
4,990,945	2/1991	Cho et al.	354/195.12

[75] Inventor: **Noriko Katayama**, Tokyo, Japan

[73] Assignee: **Fuji Photo Film Co., Ltd.**, Kanagawa, Japan

[**] Term: **14 Years**

Primary Examiner—B. J. Bullock
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Young & Thompson

[21] Appl. No.: **22,160**

[57] **CLAIM**

[22] Filed: **May 2, 1994**

The ornamental design for a camera, as shown.

[30] Foreign Application Priority Data

DESCRIPTION

Nov. 2, 1993 [JP] Japan 5-33365

[52] U.S. Cl. **D16/209; D16/218**

[58] Field of Search D16/200-204,
D16/208, 209, 216-218; 354/126, 149.11,
195.12, 202, 288

FIG. 1 is a front, top and side perspective view of a camera showing my new design;
FIG. 2 is a rear, top and side perspective view thereof from the side opposite that shown in FIG. 1;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a side elevational view thereof from the left of FIG. 3; and,
FIG. 8 is a side elevational view thereof from the right of FIG. 3.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 317,169	5/1991	Isozaki	D16/218
D. 317,773	6/1991	Isozaki et al.	D16/209
D. 329,864	9/1992	Kawagoe	D16/218
D. 342,963	1/1994	Isozaki	D16/209




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

