



US00D359874S

United States Patent [19]

[11] Patent Number: **Des. 359,874**

Smith et al.

[45] Date of Patent: **** Jul. 4, 1995**

[54] BEVERAGE DISPENSER

[75] Inventors: **Robert J. Smith**, Edinboro, Pa.;
James J. Andrist, San Diego, Calif.;
Robert J. Bellon, Leesburg, Va.;
Harry C. Edwards, Jr., Houston,
Tex.; **Joseph B. Peeples**, Blue
Springs, Mo.; **Michael T.**
Romanyszyn, San Antonio, Tex.

[73] Assignee: **The Coca-Cola Company**, Atlanta,
Ga.

[**] Term: **14 Years**

[21] Appl. No.: **15,657**

[22] Filed: **Nov. 23, 1993**

[52] U.S. Cl. **D7/311; D7/308**

[58] Field of Search **D7/300, 305, 306, 307,**
D7/308, 309, 310, 311, 312; 99/280, 282, 281,
293, 452, 323.1, 453; 222/129.1-129.4, 185

[56] References Cited

U.S. PATENT DOCUMENTS

D. 215,045	8/1969	Benjamin	D7/311
D. 260,996	8/1981	Cornett	D7/311
D. 261,390	10/1981	Hawill	.	
D. 269,516	6/1983	Kiser	D7/308
D. 273,654	1/1984	Sedam et al.	.	
D. 281,568	12/1985	Bruffey, Jr. et al.	D7/308
D. 284,926	8/1986	Sedam et al.	.	
D. 309,395	7/1990	Thompson et al.	.	
D. 311,844	11/1990	Chase et al.	D7/308
D. 312,021	11/1990	Mohat	D7/311 X
D. 316,005	4/1991	Thompson et al.	D7/311
3,248,011	4/1966	Brodsky et al.	D7/311 X
4,304,341	12/1981	Shirley	D7/307 X
4,487,333	12/1984	Pounder et al.	222/129.4 X
4,558,829	7/1984	Greenfield, Jr. et al.	D22/129.3
5,058,773	10/1991	Brill et al.	222/129.4
5,074,341	12/1991	Credle, Jr. et al.	222/129.1 X

OTHER PUBLICATIONS

Beverage Dispenser, Food Service Equip. & Supplies Specialist p. 157 Aug. 1987.

Hot Product Dispenser #464 Food Service Equipment & Supplies Specialist Jan. 1988, p. 100.

Remcor Dispenser #51D650A80 Restaurants and Institutions Spring 1988, p. 112.


Primary Examiner—Alan P. Douglas
Assistant Examiner—M. N. Pandozzi
Attorney, Agent, or Firm—Thomas R. Boston

[57] CLAIM

The ornamental design for a beverage dispenser, as shown.

DESCRIPTION

FIG. 1 is a front, left perspective view of a beverage dispenser showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a front elevational view thereof;
 FIG. 6 is a right side elevational view thereof;
 FIG. 7 is a rear elevational view thereof;
 FIG. 8 is a front left perspective view of a beverage dispenser showing a second embodiment of our new design;
 FIG. 9 is a top plan view thereof;
 FIG. 10 is a bottom plan view thereof;
 FIG. 11 is a left side elevational view thereof;
 FIG. 12 is a front elevational view thereof;
 FIG. 13 is a right side elevational view thereof;
 FIG. 14 is a rear elevational view thereof;
 FIG. 15 is a front left perspective view of a beverage dispenser showing a third embodiment of our new design;
 FIG. 16 is a top plan view thereof;
 FIG. 17 is a bottom plan view thereof;
 FIG. 18 is a left side elevational view thereof;
 FIG. 19 is a front elevational view thereof;
 FIG. 20 is a right side elevational view thereof;
 FIG. 21 is a rear elevational view thereof;
 FIG. 22 is a front left perspective view of a beverage dispenser showing a fourth embodiment of our new design;
 FIG. 23 is a top plan view thereof;
 FIG. 24 is a bottom plan view thereof;
 FIG. 25 is a left side elevational view thereof;
 FIG. 26 is a front elevational view thereof;
 FIG. 27 is a right side elevational view thereof; and,
 FIG. 28 is a rear elevational view thereof.






FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7




FIG 8




FIG 9




FIG 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG 18




FIG 19




FIG 20




FIG 21




FIG 22




FIG 23




FIG 24




FIG 25




FIG 26




FIG 27




FIG 28