



US00D360125S

# United States Patent [19]

[11] Patent Number: **Des. 360,125**

Taylor

[45] Date of Patent: **\*\* Jul. 11, 1995**

## [54] PADLOCK

[75] Inventor: **Jewell A. Taylor, Monterey, Calif.**

[73] Assignee: **Lock-R-Lock, Inc., Salinas, Calif.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **27,115**

[22] Filed: **Aug. 12, 1994**

### Related U.S. Application Data

[62] Division of Ser. No. 716,346. Jun. 17, 1991. Pat. No. Des. 352,886.

[52] U.S. Cl. .... **D8/335; D8/334**

[58] Field of Search ..... **D8/330-331, D8/334-335; 70/20-22, 24-27, 31, 35, 41, 45, 51-52; D10/106**

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 240,590	7/1976	Meisner	.....	D8/334
D. 241,306	9/1976	Foote	.....	D8/334
D. 340,199	10/1993	Taylor	.....	D10/106
1,316,663	9/1919	Zadorozny	.....	70/20
1,695,080	12/1928	Barrett	.....	70/29
1,942,454	1/1934	Samburg	.....	70/25
4,660,394	4/1987	Wu	.....	70/25

*Primary Examiner*—Brian N. Vinson

*Attorney, Agent, or Firm*—Polster, Lieder, Woodruff & Lucchesi

### [57] CLAIM

The ornamental design for a padlock, as shown and described.

## DESCRIPTION

FIG. 1 is a top, front, and left side perspective view of a padlock showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a top, front, and left side perspective view of a padlock showing a second embodiment of my new design;

FIG. 8 is a front elevational view thereof;

FIG. 9 is a right side elevational view thereof;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a top plan view thereof;

FIG. 12 is a left side elevational view thereof;

FIG. 13 is a bottom plan view thereof;

FIG. 14 is a top, front and left side perspective view of a padlock showing a third embodiment of my new design;

FIG. 15 is a front elevational view thereof;

FIG. 16 is a right side elevational view thereof;

FIG. 17 is a rear elevational view thereof;

FIG. 18 is a top plan view thereof;

FIG. 19 is a bottom plan view thereof;

FIG. 20 is a top, front, and left side perspective view of a padlock showing a fourth embodiment of my new design;

FIG. 21 is a front elevational view thereof;



FIG. 22 is a right side elevational view thereof;

FIG. 23 is a rear elevational view thereof;

FIG. 24 is a top plan view thereof;

FIG. 25 is a bottom view thereof; and,

FIG. 26 is a left side elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 26




FIG. 25