



US00D360126S

United States Patent [19]

[11] Patent Number: **Des. 360,126**

Rosen

[45] Date of Patent: **** Jul. 11, 1995**

[54] **MOUNTING ARM FOR A MONITOR**

4,987,690	1/1991	Aaldenberg et al.	248/281.1 X
5,076,524	12/1991	Reh et al. .	
5,092,552	3/1992	Dayton et al.	248/280.1
5,144,290	9/1992	Honda et al. .	

[76] Inventor: **John B. Rosen**, 87580 Cherry Ridge Rd., Eugene, Oreg. 97402

[**] Term: **14 Years**

Primary Examiner—James M. Gandy
Assistant Examiner—H. Baynham
Attorney, Agent, or Firm—Kolisch Hartwell Dickinson McCormack & Heuser

[21] Appl. No.: **16,686**

[22] Filed: **Dec. 20, 1993**

[57] CLAIM

Related U.S. Application Data

The ornamental design for a mounting arm for a monitor, as shown and described.

[63] Continuation of Ser. No. 829,728, Jan. 31, 1992, Pat. No. 5,271,590.

[52] U.S. Cl. **D8/349**

DESCRIPTION

[58] Field of Search D8/363, 373, 38; 248/222.1, 280.1, 281.1, 917

FIG. 1 is an isometric view of a mounting arm for a monitor showing my new design in a partially open, articulated position;

[56] References Cited

U.S. PATENT DOCUMENTS

FIG. 2 is an isometric view of my new design in a closed position;

- | | | | |
|------------|---------|-------------------------|-----------|
| D. 292,264 | 10/1987 | Staufenberg et al. | D8/363 X |
| D. 325,868 | 5/1992 | Bartok | D8/380 |
| 2,514,655 | 7/1950 | Luketa . | |
| 2,739,292 | 3/1956 | Modrey et al. . | |
| 3,046,513 | 7/1962 | Crowley . | |
| 3,072,374 | 1/1963 | Bodian . | |
| 4,438,458 | 3/1984 | Münscher . | |
| 4,455,008 | 6/1984 | MacKew . | |
| 4,620,808 | 11/1986 | Kurtin et al. . | |
| 4,632,348 | 12/1986 | Keesling et al. | 248/222.1 |
| 4,633,323 | 12/1986 | Haberkern et al. . | |
| 4,647,980 | 3/1987 | Steventon et al. . | |
| 4,708,312 | 11/1987 | Rohr | 248/280.1 |
| 4,735,467 | 4/1988 | Wolters . | |
| 4,836,486 | 6/1989 | Vossoughi et al. . | |
| 4,982,996 | 1/1991 | Vottero-Fin et al. . | |

FIG. 3 is a front elevation of my new design in a closed position;

FIG. 4 is a left-side elevation of my new design in a closed position;


FIG. 5 is a right-side elevation of my new design in a closed position;



FIG. 6 is a top plan view of my new design in a closed position;

FIG. 7 is a bottom plan view of my new design in a closed position; and,

FIG. 8 is a rear elevation of my new design in a closed position.

The broken line showing of supporting structure is for illustrative purposes only and forms no part of the claimed design.








FIG. 6




FIG. 4




FIG. 3




FIG. 5




FIG. 7




FIG. 8