



US00D360143S

**United States Patent** [19]  
**Omuro**

[11] **Patent Number: Des. 360,143**  
[45] **Date of Patent: \*\* Jul. 11, 1995**

[54] **ELECTRONIC METRONOME**

[56]

**References Cited**

[75] Inventor: **Makoto Omuro**, Nagano, Japan

[73] Assignee: **Seiko Epson Corporation**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **19,981**

[22] Filed: **Mar. 16, 1994**

[30] **Foreign Application Priority Data**

Sep. 16, 1993 [JP] Japan ..... 5-28017

[52] U.S. Cl. .... **D10/43**

[58] Field of Search ..... **D10/1-40,**  
**D10/43, 122-132; 84/484; 368/82-84,**  
**239-243, 285, 10; D14/191**

**U.S. PATENT DOCUMENTS**

D. 216,726 3/1970 Veech ..... D10/43  
D. 304,691 11/1989 Kubo ..... D10/2 X  
D. 315,518 3/1991 Saito ..... D10/43  
D. 319,791 9/1991 Saito ..... D10/43  
D. 351,800 10/1994 Liao ..... D10/43

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Stroock & Stroock & Lavan


[57]

**CLAIM**


The ornamental design for an electronic metronome, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of the electronic metronome in accordance with my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a rear elevational view thereof; and,  
FIG. 7 is a bottom plan view thereof.



*FIG. 1*






FIG. 2

FIG. 3






FIG. 4



*FIG. 5*



*FIG. 6*



*FIG. 7*

