



US00D360284S

United States Patent [19]

[11] Patent Number: **Des. 360,284**

Paffett et al.

[45] Date of Patent: **** Jul. 11, 1995**

[54] **KNEE PAD**

4,484,361 11/1984 Leighton et al. 2/24
5,168,576 12/1992 Krent et al. .

[76] Inventors: **Nicholas B. Paffett**, 35 Eldridge Ct.,
Hingham, Mass. 02043; **Edward D.
Krent**, 207 Hampton Rd., Sharon,
Mass. 02067

Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Buchanan Ingersoll; Robert J.
Pugh

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **11,605**

The ornamental design for a knee pad, as shown and
described.

[22] Filed: **Aug. 11, 1993**

[52] U.S. Cl. **D29/121**

[58] Field of Search D29/100, 120, 121, 122;
D24/189, 190; 2/2, 16, 22, 24


DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 239,220	3/1976	Norman .	
D. 255,728	7/1980	Baron .	
D. 338,280	8/1993	Krent et al.	D29/121
D. 341,005	11/1993	Pratt	D29/121
D. 341,229	11/1993	Tsujino	D29/121
D. 346,245	4/1994	Krent et al.	D29/121
3,322,118	5/1967	Sotherlin	D29/121
4,250,578	2/1981	Barlow .	

FIG. 1 is a perspective view of a knee pad showing our
new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is a rear elevational view thereof.
The leg shown in broken lines in FIG. 1 is for illustra-
tive purposes only and forms no part of the claimed
design. The broken lines on the knee pad represents
conventional stitching and the crosshatch shading is
understood to repeat throughout the indicated area.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7