



US00D360286S

United States Patent [19]
Paffett et al.

[11] **Patent Number: Des. 360,286**
[45] **Date of Patent: ** Jul. 11, 1995**

[54] **KNEE PAD**
[76] **Inventors:** **Nicholas B. Paffett**, 35 Eldridge Ct.,
Hingham, Mass. 02043; **Edward D. Krent**, 207 Hampton Rd., Sharon,
Mass. 02067
[**] **Term:** **14 Years**
[21] **Appl. No.:** **11,607**
[22] **Filed:** **Aug. 11, 1993**
[52] **U.S. Cl. D29/121**
[58] **Field of Search D29/100, 120, 121, 122;**
D24/189, 190; 2/2, 16, 22, 24

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 239,220 3/1976 Norman .
D. 255,728 7/1980 Baron .
D. 338,280 8/1993 Krent et al. D29/121
D. 341,005 11/1993 Pratt D29/121
D. 341,229 11/1993 Tsujino D29/121
D. 346,245 4/1994 Krent et al. D29/121
3,322,118 5/1967 Sotherlin D29/121
4,250,578 2/1981 Barlow .

4,484,361 11/1984 Leighton et al. 2/24
5,168,576 12/1992 Krent et al. .
Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Buchanan Ingersoll; Robert J. Pugh

[57] **CLAIM**
The ornamental design for a knee pad, as shown and described.

DESCRIPTION
FIG. 1 is a perspective view of a knee pad showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is a rear elevational view thereof.
The leg shown in broken lines in FIG. 1 is for illustrative purposes only and forms no part of the claimed design. The broken lines on the knee pad represents conventional stitching and the cross hatchshading is understood to repeat throughout the indicated area.




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5






FIG. 6




FIG. 7