



US00D360287S

United States Patent [19]

Paffett et al.

[11] Patent Number: **Des. 360,287**

[45] Date of Patent: **** Jul. 11, 1995**

[54] **KNEE PAD**

[76] Inventors: **Nicholas B. Paffett**, 35 Eldridge Ct., Hingham, Mass. 02043; **Edward D. Krent**, 207 Hampton Rd., Sharon, Mass. 02067

[**] Term: **14 Years**

[21] Appl. No.: **11,636**

[22] Filed: **Aug. 11, 1993**

[52] U.S. Cl. **D29/121**

[58] Field of Search **D29/100, 120, 121, 122; D24/189, 190; 2/2, 16, 22, 24**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 239,220	3/1976	Norman .	
D. 255,728	7/1980	Baron .	
D. 338,280	8/1993	Krent et al.	D29/121
D. 341,005	11/1993	Pratt	D29/121
D. 341,229	11/1993	Tsujino	D29/121
D. 346,245	4/1994	Krent et al.	D29/121
3,322,118	5/1967	Sotherlin	D29/121
4,250,578	2/1981	Barlow .	

4,484,361 11/1984 Leighton et al. 2/24
5,168,576 12/1992 Krent et al. .

Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Buchanan Ingersoll; Robert J. Pugh

[57] **CLAIM**

The ornamental design for a knee pad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective of a knee pad showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a rear elevational view thereof.

The leg shown in broken lines in FIG. 1 is for illustrative purposes only and forms no part of the claimed design. The broken lines on the knee pad represents conventional stitching and the crosshatch shading is understood to repeat throughout the indicated area.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7