



US00D360316S

# United States Patent [19]

[11] Patent Number: **Des. 360,316**

Hodge et al.

[45] Date of Patent: **\*\* Jul. 18, 1995**

[54] **CHAIR**

[75] Inventors: **David N. Hodge**, The Sea Ranch, Calif.; **Michael L. Diemen**; **David C. Jenkins**, both of Grand Rapids, Mich.; **Michael L. Mercier**, Grandville, Mich.; **Donald K. Sandberg**, Ada, Mich.; **David S. Teppo**, East Grand Rapids, Mich.

[73] Assignee: **Steelcase Inc.**, Grand Rapids, Mich.

[\*\*] Term: **14 Years**

[21] Appl. No.: **15,411**

[22] Filed: **Nov. 16, 1993**

[52] U.S. Cl. .... **D6/366**

[58] Field of Search ..... **D6/334, 365, 366, 379, D6/500, 501, 502; 297/411.36, 411.40**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 181,559 11/1957 Van Derweel ..... D6/334
- D. 211,461 6/1968 Walkinshaw ..... D6/366
- D. 221,073 7/1971 Long .
- D. 227,210 6/1973 Winrow .
- D. 227,958 7/1973 Fisher .
- D. 228,536 10/1973 Sottsass, Jr. .... D6/366
- D. 228,594 10/1973 Korch .
- D. 238,915 2/1976 Long .
- D. 245,819 9/1977 Tillberg .
- D. 260,204 8/1981 Sapper ..... D6/366
- D. 264,643 6/1982 Pelly ..... D6/366
- D. 275,053 8/1984 Stephens ..... D6/366
- D. 288,872 3/1987 Schultz ..... D6/366
- D. 308,300 6/1990 Dozsa-Farkas .
- D. 308,301 6/1990 Dozsa-Farkas .
- D. 308,302 6/1990 Dozsa-Farkas .
- D. 308,303 6/1990 Dozsa-Farkas .
- D. 308,304 6/1990 Dozsa-Farkas .
- D. 308,306 6/1990 Dozsa-Farkas .

- D. 309,531 7/1990 Dozsa-Farkas .
- D. 309,837 8/1990 Dozsa-Farkas .
- D. 327,781 7/1992 Citterio ..... D6/366
- D. 327,782 7/1992 Citterio ..... D6/366
- D. 330,808 11/1992 Citterio ..... D6/366
- D. 332,182 1/1993 Citterio .
- D. 337,449 7/1993 Bertoldi .
- 638,197 11/1999 Higgins .
- 4,252,367 2/1981 Vanderminden .
- 5,143,422 9/1992 Althofer et al. .

**OTHER PUBLICATIONS**

Demos Supplement, 12/1979, p. 27, chair at bottom left.


*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Gary D. Watson  
*Attorney, Agent, or Firm*—Price, Heneveld, Cooper, DeWitt & Litton

[57] **CLAIM**

The ornamental design for a chair, as shown and described.

**DESCRIPTION**

FIG. 1 is a right, front perspective view of a chair showing my new design;  
FIG. 2 is a left, front perspective view thereof;  
FIG. 3 is a front view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a right side view thereof;  
FIG. 7 is a left, rear perspective thereof;  
FIG. 8 is a right rear perspective thereof;  
FIG. 9 is a top perspective thereof;  
FIG. 10 is a bottom view thereof;  
FIG. 11 is a right, front perspective of an alternative embodiment thereof;  
FIG. 12 is a right side view of the alternative embodiment; and,  
FIG. 13 is a right, rear perspective of the alternative embodiment.






FIG. 1




FIG. 2




FIG. 6

FIG. 3




FIG. 5




FIG. 4




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13