



US00D360397S

# United States Patent [19]

[11] Patent Number: Des. 360,397

Wells et al.

[45] Date of Patent: \*\* Jul. 18, 1995

[54] BATTERY PACK FOR PORTABLE ELECTRONIC DEVICES

[76] Inventors: James M. Wells, 1119 S. Mission #325, Fallbrook, Calif. 92028; Donald J. Reisinger, 12133 Rosedale Ave., Grand Terrace, Calif. 92324

[\*\*] Term: 14 Years

[21] Appl. No.: 9,128

[22] Filed: Jun. 3, 1993

[52] U.S. Cl. D13/103

[58] Field of Search D13/103; 429/7, 97, 429/99, 100, 123, 157, 162

### [56] References Cited

#### U.S. PATENT DOCUMENTS

|            |         |                   |           |
|------------|---------|-------------------|-----------|
| D. 247,619 | 3/1978  | Edgell et al.     | D13/103   |
| D. 265,985 | 8/1982  | House, II         | D13/103   |
| D. 280,317 | 8/1985  | Boyd et al.       | D13/103   |
| D. 310,205 | 8/1990  | Hedrington et al. | D13/103 X |
| D. 316,538 | 4/1991  | Azima             | D13/110 X |
| D. 335,278 | 5/1993  | Wada              | D13/108 X |
| 3,057,948  | 10/1962 | Ignatjev          | 429/157 X |
| 3,201,742  | 8/1965  | English           | 339/58    |
| 3,308,419  | 3/1967  | Rohowetz et al.   | 339/147   |
| 3,379,987  | 2/1968  | Rush              | 136/135   |
| 3,918,019  | 11/1975 | Nunn              | 338/2 X   |
| 3,968,466  | 7/1976  | Nakamura et al.   | 257/419 X |
| 4,554,221  | 11/1985 | Schmid            | 429/99 X  |
| 4,584,250  | 4/1986  | Hooke et al.      | 429/97    |
| 4,593,461  | 6/1986  | Thiele et al.     | 429/99 X  |
| 4,611,160  | 9/1986  | Camens            | 429/100 X |
| 4,620,111  | 10/1986 | McArthur et al.   | 429/97 X  |

|           |         |                  |           |
|-----------|---------|------------------|-----------|
| 4,666,799 | 5/1987  | Runquist et al.  | 429/162 X |
| 4,678,725 | 7/1987  | Kikuchi et al.   | 429/53    |
| 4,861,685 | 8/1989  | Thien et al.     | 429/7     |
| 4,910,103 | 3/1990  | Yoshikawa et al. | 429/7 X   |
| 4,998,055 | 3/1991  | Nash et al.      | 429/7 X   |
| 5,102,753 | 4/1992  | Rossoll et al.   | 429/7 X   |
| 5,122,427 | 6/1992  | Flowers et al.   | 429/97    |
| 5,160,879 | 11/1992 | Tortola et al.   | 429/97 X  |
| 5,200,685 | 4/1993  | Sakamoto         | 320/2     |


Primary Examiner—James M. Gandy  
Assistant Examiner—Joel Sincavage  
Attorney, Agent, or Firm—Knobbe, Martens, Olson & Bear

### [57] CLAIM

The ornamental design for a battery pack for portable electronic devices, as shown and described.

### DESCRIPTION

FIG. 1 is a front end elevational view of the design of our present invention as it appears when used with a portable electronic device, which is shown in phantom for illustrative purposes only;  
FIG. 2 is a rear end elevational view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a front and upper right perspective view thereof; and,  
FIG. 8 is a rear and lower left perspective view thereof. The broken line showing of the portable electronic device is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8