



US00D360397S

United States Patent [19]

[11] Patent Number: Des. 360,397

Wells et al.

[45] Date of Patent: ** Jul. 18, 1995

[54] BATTERY PACK FOR PORTABLE ELECTRONIC DEVICES

[76] Inventors: James M. Wells, 1119 S. Mission #325, Fallbrook, Calif. 92028; Donald J. Reisinger, 12133 Rosedale Ave., Grand Terrace, Calif. 92324

[**] Term: 14 Years

[21] Appl. No.: 9,128

[22] Filed: Jun. 3, 1993

[52] U.S. Cl. D13/103

[58] Field of Search D13/103; 429/7, 97, 429/99, 100, 123, 157, 162

4,666,799	5/1987	Runquist et al.	429/162 X
4,678,725	7/1987	Kikuchi et al.	429/53
4,861,685	8/1989	Thien et al.	429/7
4,910,103	3/1990	Yoshikawa et al.	429/7 X
4,998,055	3/1991	Nash et al.	429/7 X
5,102,753	4/1992	Rossoll et al.	429/7 X
5,122,427	6/1992	Flowers et al.	429/97
5,160,879	11/1992	Tortola et al.	429/97 X
5,200,685	4/1993	Sakamoto	320/2

Primary Examiner—James M. Gandy
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Knobbe, Martens, Olson & Bear

[57] CLAIM

The ornamental design for a battery pack for portable electronic devices, as shown and described.


DESCRIPTION

FIG. 1 is a front end elevational view of the design of our present invention as it appears when used with a portable electronic device, which is shown in phantom for illustrative purposes only;
FIG. 2 is a rear end elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front and upper right perspective view thereof; and,
FIG. 8 is a rear and lower left perspective view thereof. The broken line showing of the portable electronic device is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 247,619	3/1978	Edgell et al.	D13/103
D. 265,985	8/1982	House, II	D13/103
D. 280,317	8/1985	Boyd et al.	D13/103
D. 310,205	8/1990	Hedrington et al.	D13/103 X
D. 316,538	4/1991	Azima	D13/110 X
D. 335,278	5/1993	Wada	D13/108 X
3,057,948	10/1962	Ignatjev	429/157 X
3,201,742	8/1965	English	339/58
3,308,419	3/1967	Rohowetz et al.	339/147
3,379,987	2/1968	Rush	136/135
3,918,019	11/1975	Nunn	338/2 X
3,968,466	7/1976	Nakamura et al.	257/419 X
4,554,221	11/1985	Schmid	429/99 X
4,584,250	4/1986	Hooke et al.	429/97
4,593,461	6/1986	Thiele et al.	429/99 X
4,611,160	9/1986	Camens	429/100 X
4,620,111	10/1986	McArthur et al.	429/97 X






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8