



US00D360399S

United States Patent [19]

[11] Patent Number: **Des. 360,399**

Tillery et al.

[45] Date of Patent: **** Jul. 18, 1995**

[54] **INSULATOR FOR AN ELECTRICAL CUTOUT**

[75] Inventors: **Timothy G. Tillery; Eugene H. Wood; Ronny D. Jergenson; Charles E. Rand; Michael G. Nolte**, all of Hickory; **Kevin F. Bulson**, Charlotte, all of N.C.

[73] Assignee: **Utility Solutions, Inc.**, Hickory, N.C.

[**] Term: **14 Years**

[21] Appl. No.: **13,129**

[22] Filed: **Sep. 20, 1993**

4,714,800	12/1987	Atkins et al.	174/209 X
4,774,488	9/1988	Field	337/171
4,833,278	5/1989	Lambeth	174/209 X
4,870,387	9/1989	Harmon	337/168
5,191,311	3/1993	Webb et al.	337/168

FOREIGN PATENT DOCUMENTS

1114203	4/1956	France	174/177
3207306	9/1983	Germany	174/177
9106106	5/1991	WIPO	174/209

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Bell, Seltzer, Park & Gibson

[57] CLAIM

The ornamental design for an insulator for an electrical cutout, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an insulator for an electrical cutout showing our new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a side elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a rear elevational view thereof;
 FIG. 7 is a side elevational view thereof and opposite the side elevational view illustrated in FIG. 3;
 FIG. 8 is a horizontal sectional view taken along line 8—8 of FIG. 2;
 FIG. 9 is a horizontal sectional view taken along line 9—9 of FIG. 2;
 FIG. 10 is a horizontal sectional view taken along line 10—10 of FIG. 2; and,
 FIG. 11 is a horizontal sectional view taken along line 11—11 of FIG. 2.

Related U.S. Application Data

[63] Continuation of Ser. No. 896,008, Jun. 9, 1992, Pat. No. 5,300,912.


[52] U.S. Cl. **D13/132**

[58] Field of Search **D13/129, 131, 132; 337/168, 171, 179, 180; 174/176, 177, 209, 212**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 201,133	5/1965	Vose	174/177 X
2,961,518	11/1960	Hermann	337/5
3,594,676	7/1971	Misare	337/180
3,868,615	2/1975	Haubein et al.	337/171 X
4,011,537	3/1977	Jackson, Jr. et al.	337/171
4,045,604	8/1977	Clabburn	428/36
4,053,707	10/1977	Ely et al.	174/209
4,267,402	5/1981	Reighter	174/209 X
4,331,833	5/1982	Pargamin et al.	174/209 X
4,440,975	4/1984	Kaczerginski	174/209






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8.




FIG. 9.




FIG. 10.




FIG. 11.