



US00D360402S

United States Patent [19]

Geis

[11] Patent Number: Des. 360,402

[45] Date of Patent: ** Jul. 18, 1995

[54] PORTABLE OUTLET ADAPTOR

[75] Inventor: Mark W. Geis, Carmel, Ind.

[73] Assignee: Woods Industries, Inc., Carmel, Ind.

[**] Term: 14 Years

[21] Appl. No.: 20,041

[22] Filed: Mar. 14, 1994

[52] U.S. Cl. D13/147

[58] Field of Search D13/139, 143, 147;
D14/256; 439/620, 638, 639, 650, 651, 652, 653,
654, 655, 660, 676

[56] References Cited

U.S. PATENT DOCUMENTS

D. 121,820	8/1940	Perl	D13/139
D. 274,808	7/1984	Schwartz	D13/142
D. 285,552	9/1986	Schwartz	D13/142
D. 285,787	9/1986	Schwartz	D13/142
D. 287,358	12/1986	Schwartz	D13/142
D. 315,718	3/1991	Luu	D13/142
D. 318,647	7/1991	Dunn, Sr.	D13/143
D. 318,849	8/1991	Luu	D13/141
D. 324,029	2/1992	Luu	D13/139
D. 329,423	9/1992	Luu	D13/143
D. 350,927	9/1994	Rossmann et al.	D13/139
2,636,096	4/1953	Di Blasi	439/652 X
3,938,068	2/1976	Hagan	439/652 X
4,897,049	1/1990	Miller et al.	439/652 X
4,934,962	6/1990	Luu et al.	439/651
5,004,435	4/1991	Jammet	439/652
5,034,846	7/1991	Hodge et al.	361/119
5,094,630	3/1992	Jammet	439/652
5,122,082	6/1992	Lee	439/652

OTHER PUBLICATIONS

Fax/Modem protector on p. 28 of *Specialized Products Co.* Fall '91 catalog.

Interruption Stopper by Design Tech International, Inc. ©1993.

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—McAndrews, Held & Malloy, Ltd.



[57] CLAIM

The ornamental design for the portable outlet adaptor, as shown and described.

DESCRIPTION

FIG. 1 is a front top perspective view of a portable outlet adaptor in its open position;
FIG. 2 is a rear top perspective view of the portable outlet adaptor of FIG. 1 in its open position;
FIG. 3 is a rear view of the portable outlet adaptor of FIG. 1 in its open position;
FIG. 4 is a front view of the portable outlet adaptor of FIG. 1 in its open position;
FIG. 5 is a top perspective view of the portable outlet adaptor of FIG. 1 in its closed position;
FIG. 6 is a front view of the portable outlet adaptor of FIG. 1 in its closed position;
FIG. 7 is a rear view of the portable outlet adaptor of FIG. 1 in its closed position;
FIG. 8 is a right side view of the portable outlet adaptor of FIG. 1 in its closed position;
FIG. 9 is a top view of the portable outlet adaptor of FIG. 1 in its closed position;
FIG. 10 is a left side view of the portable outlet adaptor of FIG. 1 in its closed position; and,
FIG. 11 is a bottom view of the portable outlet adaptor of FIG. 1 in its closed position.

The broken line showing of the plug prongs in FIGS. 1, 2 and 3 is included only for the purpose of illustrating the article in which the design is embodied and forms no part of the claimed design.






Fig. 1

Fig. 2




Fig. 3





Fig. 4






Fig. 5

Fig. 6




Fig. 7




Fig. 8




Fig.9




Fig.10





Fig.11