



US00D360475S

United States Patent [19]
Woolbright

[11] **Patent Number: Des. 360,475**
[45] **Date of Patent: ** Jul. 18, 1995**

[54] **RETAINING WALL FACADE**

[76] **Inventor: Mark A. Woolbright, 232 North Kingshighway, Suite 1207, St. Louis, Mo. 63108**

[**] **Term: 14 Years**

[21] **Appl. No.: 19,920**

[22] **Filed: Mar. 14, 1994**

Related U.S. Application Data

[62] **Division of Ser. No. 900,853, Jun. 18, 1992, Pat. No. D. 347,285.**
[52] **U.S. Cl. D25/113**
[58] **Field of Search D25/112-116; 52/596, 593, 590, 603, 611; 405/284, 286**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 319,885	9/1991	Blomquist et al.	D25/113
2,313,363	3/1943	Schmitt	D25/113
4,982,544	1/1991	Smith	52/603
5,017,049	5/1991	Sievert	52/596
5,108,231	4/1992	Rausch	D25/113
5,177,925	1/1993	Winkler et al.	405/284

Primary Examiner—Doris Clark
Attorney, Agent, or Firm—Senniger, Powers, Leavitt & Roedel

[57] **CLAIM**

The ornamental design for a retaining wall facade, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a retaining wall facade showing my new design; and, FIG. 2 is a fragmented front perspective view of the retaining wall facade of FIG. 1, the pattern thereof being repetitive throughout its length.




FIG. 1




FIG. 2

