



US00D360475S

**United States Patent** [19]  
**Woolbright**

[11] **Patent Number: Des. 360,475**  
[45] **Date of Patent: \*\* Jul. 18, 1995**

[54] **RETAINING WALL FACADE**

[76] **Inventor: Mark A. Woolbright**, 232 North  
Kingshighway, Suite 1207, St. Louis,  
Mo. 63108

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 19,920**

[22] **Filed: Mar. 14, 1994**

**Related U.S. Application Data**

[62] Division of Ser. No. 900,853, Jun. 18, 1992, Pat. No. D.  
347,285.  
[52] **U.S. Cl. .... D25/113**  
[58] **Field of Search .... D25/112-116;**  
52/596, 593, 590, 603, 611; 405/284, 286

[56]

**References Cited**

**U.S. PATENT DOCUMENTS**

D. 319,885	9/1991	Blomquist et al. ....	D25/113
2,313,363	3/1943	Schmitt .....	D25/113
4,982,544	1/1991	Smith .....	52/603
5,017,049	5/1991	Sievert .....	52/596
5,108,231	4/1992	Rausch .....	D25/113
5,177,925	1/1993	Winkler et al. ....	405/284

*Primary Examiner*—Doris Clark

*Attorney, Agent, or Firm*—Senniger, Powers, Leavitt &  
Roedel


[57]

**CLAIM**


The ornamental design for a retaining wall facade, as  
shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of a retaining wall  
facade showing my new design; and,  
FIG. 2 is a fragmented front perspective view of the  
retaining wall facade of FIG. 1, the pattern thereof  
being repetitive throughout its length.



*FIG. 1*



*FIG. 2*

