



US00D360523S

# United States Patent [19]

[11] Patent Number: **Des. 360,523**

Crowe

[45] Date of Patent: **\*\* Jul. 25, 1995**

[54] **COMBINED TWINE BOBBIN AND TWINE THEREFOR**

1,540,244 6/1925 Berglund ..... D8/358 X  
2,317,771 4/1943 Huber ..... D3/24 X

[75] Inventor: **Byron A. Crowe, Thomaston, Me.**

*Primary Examiner*—Louis S. Zarfes

[73] Assignee: **Crowe Rope Company, Warren, Me.**

[57] **CLAIM**

[\*\*] Term: **14 Years**

The ornamental design of a combined twine bobbin and twine therefor, as shown and described.

[21] Appl. No.: **837,423**

**DESCRIPTION**

[22] Filed: **Feb. 19, 1992**

FIG. 1 is bottom and side perspective view of a combined twine bobbin with twine therefor of my new design;

[52] U.S. Cl. .... **D3/24**

FIG. 2 is an elevation view;

[58] Field of Search ..... **D3/18-29;**

FIG. 3 is a bottom view;

**D8/358; 242/85.1, 96**

FIG. 4 is a top view;

[56] **References Cited**

**U.S. PATENT DOCUMENTS**



- D. 251,356 3/1979 Bogaert ..... D8/358
- D. 316,665 5/1991 Lueth ..... D8/358
- D. 329,975 10/1992 Klawitter ..... D8/358
- 1,273,894 7/1918 Madison ..... D3/26 X

FIG. 5 is a side edge view;

FIG. 6 is a front face view of the twine bobbin free of the twine;

FIG. 7 is a perspective view of the bobbin of FIG. 1 without twine wound thereon; and,

FIG. 8 is a side edge view thereof.






FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8