



US00D360553S

**United States Patent** [19]  
**Oksakowski**

[11] **Patent Number: Des. 360,553**  
[45] **Date of Patent: \*\* Jul. 25, 1995**

- [54] **CURTAIN VALANCE**
- [75] **Inventor: Udo Oksakowski, Vorarlberg, Austria**
- [73] **Assignee: Bandex Bandweberei Gesellschaft m.b.H., Vorarlberg, Austria**
- [\*\*] **Term: 14 Years**
- [21] **Appl. No.: 12,824**
- [22] **Filed: Sep. 10, 1993**
- [30] **Foreign Application Priority Data**
  - Mar. 23, 1993 [AT] Austria ..... MU951/93
  - Mar. 23, 1993 [AT] Austria ..... MU952/93
- [52] **U.S. Cl. .... D6/579; D6/575**
- [58] **Field of Search ..... D5/19, 47, 48, 50, 51, D5/52; D6/575, 576, 577, 578, 579, 580; 160/348**

- D. 101,257 9/1936 Sadinoff ..... D5/47
- D. 280,875 10/1985 Fairbanks ..... D6/575

**FOREIGN PATENT DOCUMENTS**

- 2307160 9/1974 Germany ..... 160/348

*Primary Examiner*—Louis S. Zarfes  
*Assistant Examiner*—Monica A. Hannon  
*Attorney, Agent, or Firm*—Friedrich Kueffner

[57] **CLAIM**

The ornamental design for a curtain valance, as shown and described.


**DESCRIPTION**

FIG. 1 is a front view of a curtain valance showing my new design in the flat state;  
 FIG. 2 is another front view of the curtain valance of FIG. 1 showing the curtain valance in the gathered state; and,  
 FIG. 3 is a rear view of the gathered curtain valance of FIG. 2.  
 The curtain valance which is partially shown for ease of illustration is of indeterminate length. The pattern disclosed repeats uniformly throughout the length of the valance.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 8,931 1/1876 Miller ..... D5/49
- D. 97,415 11/1935 Sheindelman ..... D5/47








FIG. 1






FIG. 2




FIG. 3