



US00D360687S

# United States Patent [19]

[11] Patent Number: **Des. 360,687**

Ferragamo et al.

[45] Date of Patent: **\*\* Jul. 25, 1995**

[54] **COMBINED PROXIMAL END AND SHAFT OF A SURGICAL SUTURE SLOTTED KNOT PUSHER**

5,292,327 3/1994 Dodd et al. .... 606/148

[75] Inventors: **Michael C. Ferragamo**, North Dighton; **Joseph H. Sklar**, Longmeadow; **Charles H. Brown, Jr.**, Wellesley, all of Mass.

[73] Assignee: **American Cyanamid Company**, Wayne, N.J.

[\*\*] Term: **14 Years**

[21] Appl. No.: **4,865**

[22] Filed: **Feb. 16, 1993**

[52] U.S. Cl. .... **D24/145; D24/133**

[58] Field of Search ..... **D24/147, 145, 133, 138; D23/200; 606/148, 139-144; 289/17**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

2,595,086	4/1952	Larzelere .....	128/326
3,763,860	10/1973	Clarke .....	128/334
4,602,635	7/1986	Mulhollan et al. ....	128/334
4,923,461	5/1990	Caspari et al. ....	606/146
4,935,027	6/1990	Yoon .....	606/146
4,961,741	10/1990	Hayhurst .....	606/139
5,053,043	10/1991	Gottesman et al. ....	606/148
5,084,058	1/1992	Li .....	606/148
5,176,691	1/1993	Pierce .....	606/148
5,192,287	3/1993	Fournier et al. ....	606/139
5,201,744	4/1993	Jones .....	606/148
5,234,445	8/1993	Walker et al. ....	606/148
5,250,054	10/1993	Li .....	606/1
5,269,791	12/1993	Magzels et al. ....	606/1 X
5,282,809	2/1994	Rammerer et al. ....	606/148
5,282,811	2/1994	Booker et al. ....	606/139 X
5,290,300	3/1994	Cosgrove et al. ....	606/148

**OTHER PUBLICATIONS**

Jensen, M. L. "Review of Present Treatments for Torn Menisci and Design of New Arthroscopic Suturing Instruments for Meniscus Repair", Mit Thesis pp. 50-51 (May, 1983).

Bartlett, E. C., MD "Principles of Knot Delivery in Intra-articular Suturing for Arthroscopic Procedures", American Journal of Arthroscopy pp. 13-15 (vol. I No. 6 Aug., 1991).

Arthrex Brochure (1991) p. 26.

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—I. Simmons

*Attorney, Agent, or Firm*—Douglas E. Denninger; Ari M. Bai

[57] **CLAIM**

The ornamental design for a combined proximal end and shaft of a surgical suture slotted knot pusher, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom plan view of a combined proximal end and shaft of a surgical suture slotted knot pusher showing our new design;

FIG. 2 is a side elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a side elevational view thereof, opposite that shown in FIG. 2;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a cross-sectional view thereof, taken along the line 6-6 of FIG. 3; and,

FIG. 7 is a perspective view thereof.

The broken line showing of the shaft and handle in the FIGS. 1,2,3 and 4 is for illustrative purposes only and forms no part of the claimed design.




FIG-1




FIG-2





FIG-3

FIG-4




FIG-5





FIG-6






FIG-7