

US00D360723S

United States Patent [19]

Kasai et al.

[11] Patent Number: Des. 360,723

Date of Patent: ** Jul. 25, 1995 [45]

| [54] | POWER BASE FOR ELECTRIC CORDLESS IRON | |
|---|---------------------------------------|--|
| [75] | Inventors: | Masao Kasai, Hyogo; Takashi Shoji, Osaka, both of Japan |
| [73] | Assignee: | Matsushita Electric Industrial Co., Ltd., Osaka, Japan |
| [**] | Term: | 14 Years |
| [21] | Appl. No.: | 21,016 |
| [22] | Filed: | Apr. 4, 1994 |
| [30] | Foreign Application Priority Data | |
| [52] | Oct. 4, 1993 [JP] Japan | |
| D6/475; D13/107–108; 38/75, 79, 94, 96, 141–142; 219/245–248, 254, 259 | | |
| [56] References Cited | | |
| U.S. PATENT DOCUMENTS | | |
| D. 316,768 5/1991 Komar | | |

FOREIGN PATENT DOCUMENTS

OTHER PUBLICATIONS

Panasonic "Optima Electronic Cordless Iron NI--2000X", issued in May 1989.

Sanyo catalog issued Mar. 1991, pp. 1-6.

Primary Examiner—A. Hugo Word Assistant Examiner—Lavone D. Tabor

Attorney, Agent, or Firm-Sughrue, Mion, Zinn,

Macpeak & Seas

CLAIM [57]

The ornamental design for a power base for an electric cordless iron, as shown.

DESCRIPTION

FIG. 1 is a perspective view showing the top, rear and one side of a power base for an electric cordless iron showing our new design;

FIG. 2 is a side elevational view of said one side thereof;


FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof;


FIG. 5 is a rear elevational view thereof;


FIG. 6 is a side elevational view of said opposite side thereof; and,

FIG. 7 is a bottom plan view thereof.




July 25, 1995






F/G. 3

July 25, 1995



F/G. 4 F/G. 5



F/G. 6

July 25, 1995




FIG. 7

