



US00D360782S

United States Patent [19]
Wright

[11] **Patent Number:** **Des. 360,782**
[45] **Date of Patent:** **** Aug. 1, 1995**

[54] **MODULAR FREE-STANDING IMPLEMENT HOLDER**
[76] **Inventor:** **Tim J. Wright**, 25256-C Steinbeck Ave., Stevenson Ranch, Calif. 91381
[**] **Term:** **14 Years**
[21] **Appl. No.:** **7,727**
[22] **Filed:** **Apr. 30, 1993**
[52] **U.S. Cl.** **D6/467**
[58] **Field of Search** **D6/466, 467, 469, 449; 211/70.7, 70.8; 248/519**


[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 257,523 11/1980 Allsop D6/469
D. 279,945 8/1985 Zeischegg et al. D6/467 X
2,854,147 9/1958 Derr 211/70.8
4,973,018 11/1990 Agor 248/309.1

Primary Examiner—Alan P. Douglas
Assistant Examiner—S. Snapp
Attorney, Agent, or Firm—David L. Baker; Rhoses & Ascolillo

[57] **CLAIM**
The ornamental design for a modular free-standing implement holder, as shown and described.

DESCRIPTION
FIG. 1 is an exploded perspective view of a modular free-standing implement holder with the support con-

necter separated for convenience of illustration showing my new design therefor;
FIG. 2 is a top plan view of the free-standing implement holder with the support connector removed for the convenience of illustration;
FIG. 3 is a left side elevational view of the free-standing implement holder with the support connector removed for the convenience of illustration;
FIG. 4 is a right side elevational view of the free-standing implement holder with the support connector removed for the convenience of illustration;
FIG. 5 is a bottom plan view of the free-standing implement holder with the support connector removed for the convenience of illustration;
FIG. 6 is a perspective view of the support connector shown with the free-standing implement holder removed for convenience of illustration;
FIG. 7 is a top plan view of the support connector shown with the free-standing implement holder removed for convenience of illustration, the bottom plan view being a mirror image thereof;
FIG. 8 is a front elevational view of the support connector shown with the free-standing implement holder removed for convenience of illustration, the rear elevational view being a mirror image thereof;
FIG. 9 is a right side elevational view of the support connector shown with the free-standing implement holder removed for convenience of illustration, the left side elevational view being a mirror image thereof; and,
FIG. 10 is a perspective view of the modular free-standing implement holder.






FIG. 1




FIG. 5




FIG. 4




FIG. 2




FIG. 3



FIG. 7



FIG. 9




FIG. 8




FIG. 6




FIG. 10