



US00D360839S

United States Patent [19]

[11] Patent Number: **Des. 360,839**

Kim

[45] Date of Patent: **** Aug. 1, 1995**

[54] **ELECTROMETER**

5,166,599 11/1992 Hochreuther et al. 324/115
5,243,275 9/1993 Nakazawa et al. 324/115 X

[75] Inventor: **Eui M. Kim, Seoul, Rep. of Korea**

[73] Assignee: **Metex Corporation, Seoul, Rep. of Korea**

[**] Term: **14 Years**

[21] Appl. No.: **19,568**

[22] Filed: **Mar. 4, 1994**

[30] **Foreign Application Priority Data**

Feb. 23, 1994 [KR] Rep. of Korea 94-3407

[52] U.S. Cl. **D10/78**

[58] Field of Search D10/78; 324/115, 123 R,
324/72.5, 73 R, 149, 151, 156, 110; 330/294,
300

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 308,832	6/1990	Shields, Jr. et al.	D10/78
D. 314,715	2/1991	Nelson et al.	D10/78
D. 327,226	6/1992	Kim	D10/78
5,119,019	6/1992	George	324/115

OTHER PUBLICATIONS

Cole-Palmer; Multimeters; 1991-1992; pp. 270, 271.

Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Rosen, Dainow & Jacobs

[57] **CLAIM**

The ornamental design for an electrometer, as shown and described.

DESCRIPTION

FIG. 1 is a front view showing my new design for an electrometer;
FIG. 2 is a rear view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a perspective view thereof; and,
FIG. 8 is a perspective view of the electrometer in which the supporting leg is unfolded.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG.5




FIG.6




FIG. 7




FIG. 8

