



US00D360857S

# United States Patent [19]

Hermann et al.

[11] Patent Number: Des. 360,857

[45] Date of Patent: \*\* Aug. 1, 1995

## [54] TIRE TREAD

[75] Inventors: **Robert J. Hermann**, Stow; **Daniel E. Schuster**, North Royalton, both of Ohio

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

[\*\*] Term: **14 Years**

[21] Appl. No.: **17,434**

[22] Filed: **Jan. 13, 1994**

[52] U.S. Cl. .... **D12/147**

[58] Field of Search ..... **D12/136, 140, 141-143, D12/146-148; 152/209 R, 209 A, 209 B, 209 D**

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 287,953 1/1987 Takeuchi ..... D12/146  
D. 317,738 6/1991 Fukumoto ..... D12/143  
D. 349,080 7/1994 Loser ..... D12/146

## FOREIGN PATENT DOCUMENTS

0371788 6/1990 European Pat. Off. .... 152/209 D  
0194909 8/1987 Japan ..... 152/209 D  
3253409 11/1991 Japan ..... 152/209 R

## OTHER PUBLICATIONS

1994 Tread Design Guide, p. 136 (G-362).

*Primary Examiner*—James M. Gandy


*Attorney, Agent, or Firm*—T. P. Lewandowski

## [57] CLAIM

The ornamental design for a tire tread, as shown and described.

## DESCRIPTION

FIG. 1 is a perspective view of a tire tread; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof; and, FIG. 4 is an enlarged fragmentary front view thereof. The tread pattern is understood to be repeated uniformly throughout the circumference of the tire tread. The broken line showing of the tire sidewall in the drawings is for illustrative purposes only and forms no part of the claimed design.






FIG-1




FIG-2




FIG-3




FIG-4