



US00D360867S

United States Patent [19]

[11] Patent Number: **Des. 360,867**

Botterman

[45] Date of Patent: **** Aug. 1, 1995**

[54] **VEHICLE WHEEL**

[75] Inventor: **Ralph C. Botterman**, Strongsville, Ohio

[73] Assignee: **Aluminum Company of America**, Pittsburgh, Pa.

[*] Notice: The portion of the term of this patent subsequent to Mar. 21, 2012 has been disclaimed.

[**] Term: **14 Years**

[21] Appl. No.: **1,807**

[22] Filed: **Nov. 24, 1992**

[52] U.S. Cl. **D12/211**

[58] Field of Search **D12/209, 210, 211;**
301/63.1, 64.1, 64.7, 65

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 218,930	10/1970	Mitchell	D12/211
D. 232,930	9/1974	Edwards	D12/209
D. 235,328	6/1975	Scraver	D12/211
D. 235,432	6/1975	May et al.	D12/211
D. 250,704	1/1979	Taitani	D12/211
D. 262,616	1/1982	Main	D12/211
D. 273,102	3/1984	Woodward	D12/209
5,188,429	2/1993	Heck et al.	301/63

FOREIGN PATENT DOCUMENTS

1387907	3/1975	United Kingdom	301/63.1
---------	--------	----------------	-------	----------

OTHER PUBLICATIONS

Commercial Car Journal, May 1971, p. 124, Aluminum Disc Wheel, bottom center of page.

Austro Motor, Jun. 1980, Rear Cover, Wheel on Toyota Vehicle, bottom of page.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Gary P. Topolosky

[57] **CLAIM**

The ornamental design for a vehicle wheel, as shown and described.

DESCRIPTION


FIG. 1 is a full frontal view of a vehicle wheel, showing my new design;

FIG. 2 is an enlarged front elevation view of the upper left quadrant thereof, it being understood that all four quadrants of the wheel are the same;

FIG. 3 is a sectional view through lines III—III of FIG. 2; and,

FIG. 4 is a full frontal view of a vehicle wheel showing a second embodiment of my new design, the sole difference being in the specific shape of the circumferentially spaced outer peripheral holes.

The characteristic feature of this design resides in the square or rectangularly-shaped hand holes which taper inwardly from both sides of the wheel, toward the center of the wheel and meet along an edge substantially intermediate the interior and exterior sides of said wheel.






FIG. 1

FIG. 2





FIG. 3






FIG. 4

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 360,867
DATED : August 1, 1995
INVENTOR(S) : Ralph C. Botterman

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page, under "Notice", in line 2, change the date from "March 21, 2012" to --March 21, 2009--.

Signed and Sealed this
Twenty-third Day of January, 1996

Attest:



BRUCE LEHMAN

Attesting Officer

Commissioner of Patents and Trademarks