



US00D361174S

# United States Patent [19]

[11] Patent Number: Des. 361,174

Karlen

[45] Date of Patent: \*\* Aug. 8, 1995

[54] ENSEMBLE FOR CONCRETE YARD DEER

[76] Inventor: **Rebekah Karlen**, 7187 Renken Rd., Dorsey, Ill. 62021

[\*\*] Term: **14 Years**

[21] Appl. No.: **1,313**

[22] Filed: **Nov. 9, 1992**

[52] U.S. Cl. .... **D30/145**

[58] Field of Search ..... 119/838, 850, 854, 814, 119/156, 158, 160, 95; D30/144-145, 158; 54/79.1-79.2, 79.4, 80.1, 80.4

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 312,151	11/1990	Dickey .....	D30/145
D. 313,291	12/1990	Shanley .....	D30/145
D. 313,676	1/1991	Indursky .....	D30/145
2,273,706	2/1942	Hafner .....	54/79.1
2,400,781	5/1946	Priour .....	54/79.1
2,539,606	1/1951	Bailey .....	119/854
2,831,306	4/1958	Breuton .....	54/79.2
3,141,443	7/1964	Huey .....	54/79.4
3,918,238	11/1975	Lozzio .....	54/79.2
3,979,886	9/1976	Johnson et al. ....	54/79.2
4,105,812	8/1978	Campbell .....	428/15
4,355,600	10/1982	Zielinski .....	54/79.4
5,003,756	4/1991	Mazzotta, Sr. ....	54/79.1
5,060,458	10/1991	Curtis .....	54/79.2
5,068,921	12/1991	Jones .....	119/850

#### FOREIGN PATENT DOCUMENTS

101968	9/1937	Australia .....	54/79.2
2525664	12/1983	France .....	119/95
1468108	3/1977	United Kingdom .....	54/80.1

### OTHER PUBLICATIONS

Animail Catalog, p. 5; item L. Ship Ahoy Sweater with Matching beret with earloops, (Pet Catalogs Box #2). Cat Fancy Magazine; Nov. 1991; p. 87; Cat hat top left corner of pg; (Pet Catalogs Box #2).

Pedigrees the pet catalog; p. 40; Pet Antlers; (Pet Catalogs Box #2).

Pedigrees the pet Catalog; pg. 2; item A-Santa Hat; Pet Catalogs Box #2).

Primary Examiner—Cathy Anne MacCormac  
Attorney, Agent, or Firm—Don W. Weber

### [57] CLAIM

The ornamental design for a ensemble for concrete yard deer, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of an ensemble for a concrete yard deer showing my new design;

FIG. 2 is a front elevational view of the buck hat shown in FIG. 1;

FIG. 3 is a rear elevational view of FIG. 2;

FIG. 4 is a side elevational view thereof, the opposite being a mirror image of the side shown;

FIG. 5 is a perspective view of a second embodiment of FIG. 1;

FIG. 6 is a front elevational view of the doe hat shown in FIG. 5, the rear being identical;

FIG. 7 is a side elevational view of FIG. 6 the opposite side being a mirror image of the side shown;

FIG. 8 is a top plan view of the coat in FIGS. 1 and 5;


FIG. 9 is a bottom plan view of the FIG. 8;


FIG. 10 is an end elevational view of FIG. 8;

FIG. 11 is the opposite end of FIG. 10; and,


FIG. 12 is a side elevational view of FIG. 8, the opposite side being substantially similar to the side shown.

The dashed lines FIG. 9 represent conventional stitching. The broken lines in FIGS. 1 and 5 are for illustrative purposes only and form no part of the claimed design.







*Fig. 1*




*Fig. 3*




*Fig. 4*




*Fig. 2*



*Fig. 5*



*Fig. 7*



*Fig. 6*




Fig. 8




Fig. 9



Fig. 10



Fig. 11




Fig. 12