



US00D361290S

United States Patent [19]

[11] Patent Number: **Des. 361,290**

Fawthrop

[45] Date of Patent: **** Aug. 15, 1995**

[54] LIGHTNING DETERRENT

[76] Inventor: **W. Gregg Fawthrop**, 204B Cross Keys Rd., Berlin, N.J. 08009

[**] Term: **14 Years**

[21] Appl. No.: **31,670**

[22] Filed: **Dec. 2, 1994**

[52] U.S. Cl. **D10/105**

[58] Field of Search D10/104, 105, 106, 109, D10/121; 361/85, 86, 87, 88, 111, 117, 118; 174/2, 3, 4 R, 4 C

[56] References Cited

U.S. PATENT DOCUMENTS

D. 305,309	1/1990	Heary	D10/105
D. 339,307	9/1993	Heary	D10/105
1,098,738	6/1914	Kretzer	D10/105
3,662,083	5/1972	Constant	361/117
3,896,432	7/1975	Puget	361/117

Primary Examiner—A. Hugo Word
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Norman E. Lehrer

[57] CLAIM

The ornamental design for a lightning deterrent, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a lightning deterrent showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a side elevational view thereof;
FIG. 6 is a cross-sectional view taken through the line 6—6 of FIG. 1; and,
FIG. 7 is a front elevational view of a second embodiment thereof, wherein the only differences reside in the double slot opens and the length of the claimed design.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 7




Fig. 6

