



US00D361490S

# United States Patent [19]

[11] Patent Number: **Des. 361,490**

Vetter

[45] Date of Patent: **\*\* Aug. 22, 1995**

## [54] OUTER SURFACE OF A FOLDING OPERATOR HANDLE

[75] Inventor: **Gregory J. Vetter**, Owatonna, Minn.

[73] Assignee: **Truth Hardware Corporation**, Owatonna, Minn.

[\*\*] Term: **14 Years**

[21] Appl. No.: **22,601**

[22] Filed: **May 9, 1994**

[52] U.S. Cl. .... **D8/307**

[58] Field of Search ..... **D8/307-309, D8/400; 16/110 R, 111 R; 74/523, 545-547; 49/324, 338**

Truth Brochure for "Concealed Casement Hardware-Operator" (p. 8.1); undated.

Truth Brochure for "Single Arm Operator (Surface-Mount)" (p. 9); undated.

Truth Brochure for "Pivot Shoe Roto Operator" (pp. 3-3a) ©1988.

Truth Brochure for "Single Arm Operator (Face-Mount)" (pp. 4-4a); undated.

Truth Brochure for "Dyad Operator" (p. 5); undated.

Truth Brochure for "Washability Casement Package" (pp. 6-6a); undated.

Truth Brochure for "Entrygard Single Arm Operator" (pp. 3.7-3.7c) ©1993.

*Primary Examiner*—B. J. Bullock

*Attorney, Agent, or Firm*—Wood, Phillips, VanSanten, Clark & Mortimer

## [56] References Cited

### U.S. PATENT DOCUMENTS

Re. 26,508	12/1968	Stavenau et al. .
2,824,735	2/1958	Stavenau et al. .
2,977,810	4/1961	Stavenau .
3,032,330	5/1962	Stavenau .
3,258,874	7/1966	Martin .
3,457,675	7/1969	Armstrong .
4,083,264	4/1978	Van Klompenburg .
4,253,276	3/1981	Peterson et al. .
4,937,976	7/1990	Tucker et al. .

### FOREIGN PATENT DOCUMENTS

1527723 10/1978 United Kingdom ..... 49/324

### OTHER PUBLICATIONS

Blaine Window Hardware Cat; ©1982; p. 24; Crank handle 327.

Truth Brochure for "Lever Operator" (p. 4); undated.

Truth Brochure for "Roto Gear Awning Operator" (p. 5); undated.

Truth Brochure for "Entrygard Dyad Operator" (p. 7); undated.

Truth Brochure for "Split Arm Operator" (p. 8); undated.

## [57] CLAIM

The ornamental design for an outer surface of a folding operator handle, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of the outer surface of a folding operator handle in an operative position relative to an exemplary operator cover shown in phantom;

FIG. 2 is a top view of the outer surface of a folding operator handle;

FIG. 3 is a left side view of the folding operator handle the side opposite being a mirror image;


FIG. 4 is a front view of the outer surface of a folding operator handle;




FIG. 5 is a bottom view of the outer surface of a folding operator handle;

FIG. 6 is a rear view of the outer surface of a folding operator handle; and,



FIG. 7 is another perspective view of the outer surface of a folding operator handle in a folded storage position relative to an exemplary operator cover shown in phantom.

The broken lines in FIGS. 5 and 6 indicate that the interior surfaces of the handle do not form a portion of the claimed design.





*Fig. 4*



*Fig. 5*

