



US00D361517S

**United States Patent** [19]  
**Petruzzi**

[11] **Patent Number: Des. 361,517**  
[45] **Date of Patent: \*\* Aug. 22, 1995**

[54] **REPLICA SPICE SHAKER CLOCK**

[76] Inventor: **Thomas G. Petruzzi**, 5118 Belleville Ave., Orlando, Fla. 32812  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **27,243**  
[22] Filed: **Aug. 16, 1994**  
[52] U.S. Cl. .... **D10/6; D10/15; D9/509; D14/189**  
[58] Field of Search ..... **D10/1-40, D10/122-132; D9/509; D7/629, 612; 368/10, 276-277, 285**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 269,361	6/1983	Marschak	.....	D7/612 X
D. 279,868	7/1985	Boffo	.....	D10/15 X
D. 309,900	8/1990	Illsley	.....	D14/189 X
D. 349,243	8/1994	Hersch	.....	D10/6 X
D. 349,244	8/1994	Hersch	.....	D10/6 X
961,991	6/1910	Ullrich	.....	D9/509 X

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Allen, Dyer, Doppelt, Franjola & Milbrath

[57] **CLAIM**

The ornamental design for a replica spice shaker clock, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, left perspective view of a replica spice shaker clock showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a right side view thereof, the left side view being a mirror image;  
FIG. 5 is a front elevational view thereof;  
FIG. 6 is a rear elevational view thereof;  
FIG. 7 is a top, left front perspective view thereof with the case in an open position;  
FIG. 8 is a partial top, left perspective view of a second embodiment of FIG. 1, the only difference being a top element without holes;  
FIG. 9 is a top plan view of FIG. 8;  
FIG. 10 is a partial top, left perspective view of a third embodiment of FIG. 1, the only difference being a generally flat top surface;  
FIG. 11 is a top plan view of FIG. 10;  
FIG. 12 is a partial top, left perspective view of a fourth embodiment of FIG. 1, the only difference being a generally flat top surface without holes;  
FIG. 13 is a top plan view of FIG. 12;  
FIG. 14 is a right side view of a fifth embodiment of FIG. 1, the only difference being a clip rotatably affixed to a rear surface of the clock, the left side view being a mirror image;  
FIG. 15 is a rear elevational view of the embodiment of FIG. 14; and,  
FIG. 16 is a top plan view of the embodiment of FIG. 14.






FIG-1





FIG-2

FIG-3





FIG-4




FIG-5








FIG-6

FIG-7







*FIG-9*




*FIG-11*




*FIG-10*




*FIG-13*




*FIG-12*



*FIG-15*



*FIG-14*



*FIG-16*