



US00D361616S

**United States Patent** [19]  
**Tsuji**

[11] **Patent Number: Des. 361,616**  
[45] **Date of Patent: \*\* Aug. 22, 1995**

[54] **PORTABLE HEMAPHERESIS DEVICE**  
[75] **Inventor: Tsuyoshi Tsuji, Tokyo, Japan**  
[73] **Assignee: Baxter International Inc., Deerfield, Ill.**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 14,966**  
[22] **Filed: Nov. 5, 1993**  
[52] **U.S. Cl. .... D24/111**  
[58] **Field of Search .... D24/111, 169, 185, 186; 210/85, 647, 806, 97, 143, 195.2, 195.3, 257.2, 297, 321.6, 645, 651, 739, 805, 646; 604/67, 5, 4, 49**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

3,480,015 11/1969 Gonzalez ..... D24/111 X  
4,236,880 12/1980 Archibald ..... D24/111 X  
4,601,702 7/1986 Hudson ..... D24/111 X  
5,330,420 7/1994 Lee ..... 210/646

*Primary Examiner—Antoine Deval Davis*

*Attorney, Agent, or Firm—Bradford R. L. Price; Paul C. Flattery*

[57] **CLAIM**

The ornamental design for a portable hemapheresis device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a portable hemapheresis device in accordance with the invention with the cover in the closed position;

FIG. 2 is a perspective view of the device shown in FIG. 1 with the cover in the open position;

FIG. 3 is a front elevational view of the device shown in FIG. 2;


FIG. 4 is a side elevational view of the device shown in FIG. 2 viewed from the right;


FIG. 5 is a side elevational view of the device shown in FIG. 2 viewed from the left;

FIG. 6 is a top plan view of the device shown in FIG. 2;

FIG. 7 is a rear elevational view of the device shown in FIG. 2; and,


FIG. 8 is a bottom view of the device shown in FIG. 2.





*Fig. 1*








Fig. 4







Fig. 3







*Fig. 7*

*Fig. 8*

