



US00D361678S

# United States Patent [19]

[11] Patent Number: **Des. 361,678**

Tavone et al.

[45] Date of Patent: **\*\* Aug. 29, 1995**

## [54] JEWELRY DISPLAY STAND

[75] Inventors: **John H. Tavone**, Hallandale, Fla.;  
**Frank Garafano, Jr.**, Johnston, R.I.

[73] Assignee: **Displays By Garo, Inc.**, Johnston,  
R.I.

[\*\*] Term: **14 Years**

[21] Appl. No.: **6,190**

[22] Filed: **Mar. 18, 1993**

[52] U.S. Cl. .... **D6/457; D6/460**

[58] Field of Search ..... **D6/455, 457-461,**  
**D6/466-468; D7/357, 550, 552, 553, 555, 557;**  
**220/500, 532; 206/557, 565, 566; 211/13, 163,**  
**77, 128; 108/92, 150, 151**

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 160,688	10/1950	Brook	.....	211/128	X
197,931	12/1877	Haight	.....	211/77	X
D. 211,551	6/1968	Taylor	.....	D6/461	X
D. 240,174	6/1976	Moore, Jr.	.....	D6/455	X
D. 276,011	10/1984	Hannecke	.....	D6/457	X
D. 328,205	7/1992	Callon	.....	D6/459	
3,120,824	2/1964	Loyo, Jr.	.....	108/92	
4,736,856	4/1988	Alnewq et al.	.....	D6/461	X

*Primary Examiner*—Nelson C. Holtje  
*Assistant Examiner*—Jeffrey Asch  
*Attorney, Agent, or Firm*—Millen, White, Zelano &  
Branigan

## [57] CLAIM

The ornamental design for a jewelry display stand, as shown and described.

## DESCRIPTION

FIG. 1 is a top plan view of the bottom component of a jewelry display stand showing our new design;

FIG. 2 is a typical side elevational view;

FIG. 3 is a bottom plan view;

FIG. 4 is a sectional view taken along line 4—4 of FIG. 3;

FIG. 5 is a top plan view of the middle component of the jewelry display stand;

FIG. 6 is a typical side elevational view;

FIG. 7 is a bottom plan view;

FIG. 8 is a sectional view taken along line 8—8 of FIG. 7;

FIG. 9 is a top plan view of the top component of the jewelry display stand;

FIG. 10 is a typical side elevational view;

FIG. 11 is a bottom plan view;

FIG. 12 is a sectional view taken along line 12—12 of FIG. 11;

FIG. 13 is a top plan view of the jewelry display stand;

FIG. 14 is a typical side elevational view;

FIG. 15 is a sectional view taken along line 15—15 of FIG. 13;

FIG. 16 is a top plan view of the bottom component of a second embodiment of the jewelry display stand shown in FIG. 13;

FIG. 17 is a typical side elevational view;

FIG. 18 is a bottom plan view;

FIG. 19 is a sectional view along line 19—19 of FIG. 18;

FIG. 20 is a top plan view of the middle component of the second embodiment of the jewelry display stand;

FIG. 21 is a typical side elevational view;

FIG. 22 is a bottom plan view;

FIG. 23 is a sectional view taken along line 23—23 of FIG. 22;

FIG. 24 is a top plan view of the top component of the second embodiment of the jewelry display stand;

FIG. 25 is a typical side elevational view;

FIG. 26 is a bottom plan view;


FIG. 27 is a sectional view taken along line 27—27 of FIG. 26;

FIG. 28 is a top plan view of the second embodiment of the jewelry display stand;


FIG. 29 is a typical side elevational view; and,

FIG. 30 is a sectional view taken along line 30—30 of FIG. 27.


The three components have been shown separately in FIGS. 1-12 and 16-27 for convenience of illustration.







*FIG. 1*



*FIG. 2*




FIG. 3






FIG. 4





*FIG. 5*



*FIG. 6*




FIG. 7





FIG. 8



*FIG. 9*



*FIG. 10*






FIG. 11




FIG. 12






FIG. 13






*FIG. 14*




*FIG. 15*





*FIG. 16*



*FIG. 17*




FIG. 18






FIG. 19







*FIG. 20*



*FIG. 21*




*FIG. 22*




*FIG. 23*







*FIG. 24*



*FIG. 25*



*FIG. 26*



*FIG. 27*








FIG. 28



*FIG. 29*



*FIG. 30*