



US00D361822S

United States Patent [19]

Fujinaka et al.

[11] Patent Number: Des. 361,822

[45] Date of Patent: ** Aug. 29, 1995

[54] TANK USED FOR PUMP

[75] Inventors: Yoshiaki Fujinaka, Tokyo; Yukio Maruyama, Saitama; Toshiaki Hada, Saitama; Yoshikazu Shimazu, Saitama, all of Japan

[73] Assignee: Iwaki Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 19,694

[22] Filed: Mar. 9, 1994

[30] Foreign Application Priority Data

Sep. 10, 1993 [JP] Japan 5-27640
[52] U.S. Cl. D23/202; D23/200

[58] Field of Search D23/200-213; 141/98, 331, 332, 340; 210/DIG. 4, DIG. 17, 85, 86, 97, 134, 169, 193, 198.1, 200, 205, 206, 180, 211, 212, 222, 223, 231, 242.1, 244, 245, 246, 257.1, 257.2, 258, 260, 261, 282, 287, 288, 289, 290, 295, 321.6, 321.73, 348, 416.3, 443, 444, 445, 446, 447, 448, 449, 541; 222/174, 310, 372, 383, 384, 385, 465.1, 466, 468, 478, 481, 565, 567, 571, 572, 573

[56] References Cited

U.S. PATENT DOCUMENTS

2,483,924 10/1949 Moulinier 210/416.1 X
4,690,308 9/1987 Cavanaugh et al. 222/383 X
4,895,220 1/1990 Abraham et al. 210/85 X
5,084,166 1/1992 Shiraga et al. 210/349 X

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Monica A. Hannon

Attorney, Agent, or Firm—Jones, Tullar & Cooper

[57] CLAIM

A design for the tank used for pump, as shown.

DESCRIPTION

FIG. 1 is a front view of a tank used for pump, the tank being combined with a base and a tank body mounted on the base;

FIG. 2 is a rear view thereof;


FIG. 3 is a plan view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a front perspective view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7