



US00D361867S

United States Patent [19]

[11] Patent Number: **Des. 361,867**

Taniuchi

[45] Date of Patent: **** Aug. 29, 1995**

[54] **HELMET**

D. 340,546 10/1993 Kamata D29/107
D. 351,685 10/1994 Kamata D29/105
5,177,817 1/1993 Kamata 2/424

[75] Inventor: **Fujio Taniuchi, Tokyo, Japan**

[73] Assignee: **Shoei Kako Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Armstrong, Westerman, Hattori, McLeland & Naughton

[21] Appl. No.: **12,699**

[57] **CLAIM**

[22] Filed: **Sep. 7, 1993**

The ornamental design for a helmet, as shown and described.

[30] **Foreign Application Priority Data**

DESCRIPTION

May 6, 1993 [JP] Japan 5-13205

FIG. 1 is a front elevational view of a helmet showing my new design;

[52] U.S. Cl. **D29/102**

FIG. 2 is a rear elevational view thereof;

[58] Field of Search D29/102-107;
2/2, 410-412, 6.6, 6.7, 414, 423-425, 9

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side elevational view thereof;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 234,550 3/1975 Kamata D29/107
D. 273,339 4/1984 Gevert D29/107
D. 330,951 11/1992 Kamata D29/107
D. 331,299 11/1992 Kamata D29/107
D. 340,545 10/1993 Kamata D29/107

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a top, front and left side perspective view thereof;

FIG. 8 is a top, front and left side perspective view thereof with the shield plate in an opened position; and,

FIG. 9 is a top, front and left side perspective view thereof with the face cover in an opened position.




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

