



US00D362001S

United States Patent [19]

Roegner

[11] Patent Number: Des. 362,001

[45] Date of Patent: ** Sep. 5, 1995

[54] HOUSING FOR BASE OF A CORDLESS
TELEPHONE WITH SPEAKERPHONE

[75] Inventor: George P. Roegner, Vero Beach, Fla.

[73] Assignee: North American Foreign Trading
Corporation, New York, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 25,669

[22] Filed: Jul. 7, 1994

[52] U.S. Cl. D14/151

[58] Field of Search D14/137, 138, 140, 142,
D14/147-151, 240, 241; 379/58-61, 433-436,
419, 420, 428, 440

[56] References Cited

U.S. PATENT DOCUMENTS

- | | | | | |
|------------|--------|------------------|-----------|---------|
| D. 294,251 | 2/1988 | Sekiguchi et al. | | D14/151 |
| D. 300,824 | 4/1989 | Okuda et al. | | D14/151 |
| D. 301,874 | 1/1989 | Roegner . | | |
| D. 303,386 | 9/1989 | Iino | D14/149 X | |
| D. 307,426 | 4/1990 | Ohta et al. | | D14/149 |
| D. 316,857 | 5/1991 | Park | D14/151 X | |
| D. 316,857 | 5/1991 | Park | D14/138 | |
| D. 326,451 | 5/1992 | Roegner . | | |
| D. 326,452 | 5/1992 | Roegner . | | |
| D. 334,747 | 4/1993 | Roegner . | | |
| D. 334,748 | 4/1993 | Roegner . | | |
| D. 335,289 | 5/1993 | Roegner . | | |
| D. 335,494 | 5/1993 | Roegner . | | |
| D. 335,666 | 5/1993 | Roegner . | | |
| D. 335,878 | 5/1993 | Roegner . | | |

- | | | | |
|------------|---------|--------------------|---------|
| D. 339,132 | 9/1993 | Roegner . | |
| D. 339,133 | 9/1993 | Roegner . | |
| D. 340,715 | 10/1993 | Desbarats | D14/151 |
| D. 345,974 | 4/1994 | Biskup et al. | D14/149 |
| D. 352,283 | 11/1994 | Schmidt | D14/151 |
| 4,706,274 | 11/1987 | Baker et al. | 379/61 |

OTHER PUBLICATIONS

Macy's Advertisement, Tropez 900DX.

Primary Examiner—Jeffrey Asch

[57]

CLAIM

The ornamental design for a housing for the base of a cordless telephone with speakerphone, as shown and described.

DESCRIPTION

FIG. 1 is a top-front perspective view of the housing for the base of a cordless telephone, with speakerphone, and including a broken line showing of a handset in a cradled position, showing my new design;

FIG. 2 is a front elevational view of the housing for the base of a cordless telephone with speakerphone of FIG. 1;

FIG. 3 is a top elevational view thereof;


FIG. 4 is a bottom elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a right side elevational view thereof; and,

FIG. 7 is a left side elevational view thereof.

The broken line showing of a handset in FIG. 1 is for environmental purposes only and forms no part of the claimed design.






FIG. I

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

