



US00D362123S

# United States Patent [19]

[11] Patent Number: Des. 362,123

Johnston et al.

[45] Date of Patent: \*\* Sep. 12, 1995

[54] PICTURE FRAME

[76] Inventors: Sherie A. Johnston, 4420 Shadow Glen, Dallas, Tex. 75287; Gloria H. Bold, 4224 W. Creek Dr., Dallas, Tex. 75287

[\*\*] Term: 14 Years

[21] Appl. No.: 17,590

[22] Filed: Jan. 14, 1994

[52] U.S. Cl. .... D6/303; D6/314

[58] Field of Search ..... D6/300-303, D6/308-314; 40/152, 152.1, 152.2, 158.1, 159, 160, 606; D20/40, 42, 10; D21/204, 205; D11/133

[56] References Cited

U.S. PATENT DOCUMENTS

D. 34,871	7/1901	Fisher .	
D. 161,350	12/1950	Leventhal .....	29/23
D. 239,997	5/1976	Burin et al. ....	D6/236
D. 259,610	6/1981	Martin .....	D6/245
D. 259,611	6/1981	Martin .....	D6/245
D. 261,463	10/1981	Martin .....	D6/243
D. 265,454	7/1982	Martin .....	D6/245
D. 295,391	4/1988	Maddox et al. ....	D11/133
D. 311,456	11/1990	Grossbart .....	D6/314 X
D. 317,530	6/1991	Masterson .....	D6/303
D. 339,239	9/1993	Perkins .....	D6/303
D. 339,240	9/1993	Perkins .....	D6/303
D. 352,176	11/1994	McMillan .....	D6/314 X
3,624,939	12/1971	Gossard .....	40/10
4,442,617	4/1984	Frye et al. ....	D6/314 X
5,072,532	12/1991	Kelly .....	40/152.1

Primary Examiner—Janice E. Seeger  
Attorney, Agent, or Firm—Panitch Schwarze Jacobs & Nadel


[57] CLAIM

The ornamental design for a picture frame, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a picture frame in accordance with a first preferred embodiment showing our new design;  
FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a right side elevational view thereof, a mirror image of which is a left side elevational view thereof;  
FIG. 7 is a perspective view of a picture frame in accordance with a second preferred embodiment showing our new design;  
FIG. 8 is a front elevational view of the picture frame shown in FIG. 7;  
FIG. 9 is a rear elevational view of the picture frame shown in FIG. 7;  
FIG. 10 is a top plan view of the picture frame shown in FIG. 7;  
FIG. 11 is a bottom plan view of the picture frame shown in FIG. 7;  
FIG. 12 is a right side elevational view of the picture frame shown in FIG. 7, a mirror image of which is a left side elevational view thereof;  
FIG. 13 is a perspective view of a picture frame in accordance with a third preferred embodiment of the present invention showing our new design;  
FIG. 14 is a front elevational view of the picture frame shown in FIG. 13;  
FIG. 15 is a rear elevational view of the picture frame shown in FIG. 13;  
FIG. 16 is a top plan view of the picture frame shown in FIG. 13;  
FIG. 17 is a bottom plan view of the picture frame shown in FIG. 13;  
FIG. 18 is a right side elevational view of the picture frame shown in FIG. 13, a mirror image of which is a left side elevational view thereof;  
FIG. 19 is a perspective view of a picture frame in accordance with a fourth preferred embodiment of the present invention showing our new design;  
FIG. 20 is a front elevational view of the picture frame shown in FIG. 19;  
FIG. 21 is a rear elevational view of the picture frame shown in FIG. 19;  
FIG. 22 is a top plan view of the picture frame shown in FIG. 19;  
FIG. 23 is a bottom plan view of the picture frame shown in FIG. 19;  
FIG. 24 is a right side elevational view of the picture  
(Description continued on next page.)



frame shown in FIG. 19, a mirror image of which is a left side elevational view thereof;

FIG. 25 is a perspective view of a picture frame in accordance with a fifth preferred embodiment of the present invention showing our new design;

FIG. 26 is a front elevational view of the picture frame shown in FIG. 25;

FIG. 27 is a rear elevational view of the picture frame shown in FIG. 25;

FIG. 28 is a top plan view of the picture frame shown in FIG. 25;

FIG. 29 is a bottom plan view of the picture frame shown in FIG. 25;

FIG. 30 is a right side elevational view of the picture frame shown in FIG. 25, a mirror image of which is a left side elevational view thereof;

FIG. 31 is a perspective view of a picture frame in accordance with a sixth preferred embodiment of the present invention showing our new design;

FIG. 32 is a front elevational view of the picture frame shown in FIG. 31;

FIG. 33 is a rear elevational view of the picture frame shown in FIG. 31;

FIG. 34 is a top plan view of the picture frame shown in FIG. 31;

FIG. 35 is a bottom plan view of the picture frame shown in FIG. 31;

FIG. 36 is a right side elevational view of the picture

frame shown in FIG. 31, a mirror image of which is a left side elevational view thereof;

FIG. 37 is a perspective view of a picture frame in accordance with a seventh preferred embodiment of the present invention showing our new design;

FIG. 38 is a front elevational view of the picture frame shown in FIG. 37;

FIG. 39 is a rear elevational view of the picture frame shown in FIG. 37;

FIG. 40 is a top plan view of the picture frame shown in FIG. 37;

FIG. 41 is a bottom plan view of the picture frame shown in FIG. 37;

FIG. 42 is a right side elevational view of the picture frame shown in FIG. 37, a mirror image of which is a left side elevational view thereof;

FIG. 43 is a perspective view of a picture frame in accordance with an eighth preferred embodiment of the present invention showing our new design;

FIG. 44 is a front elevational view of the picture frame shown in FIG. 43;

FIG. 45 is a rear elevational view of the picture frame shown in FIG. 43;

FIG. 46 is a top plan view of the picture frame shown in FIG. 43;

FIG. 47 is a bottom plan view of the picture frame shown in FIG. 43; and,

FIG. 48 is a right side elevational view of the picture frame shown in FIG. 43, a mirror image of which is a left side elevational view thereof.



Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 12




Fig. 11




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 18




Fig. 17




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 24




Fig. 23






Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 30




Fig. 29




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 36




Fig. 35






Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 42




Fig. 41




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 48




Fig. 47

