



US00D362159S

United States Patent [19]

[11] Patent Number: **Des. 362,159**

Singh

[45] Date of Patent: **** Sep. 12, 1995**

[54] **COMPACT DISC HOLDER ATTACHABLE TO A VEHICLE VISOR**

[76] Inventor: **Michael T. Singh**, 2130 Strand (P.O. Box 238), Columbia City, Oreg. 97018

[**] Term: **14 Years**

[21] Appl. No.: **26,863**

[22] Filed: **Aug. 8, 1994**

[52] U.S. Cl. **D6/629; D12/417**

[58] Field of Search **D6/629, 630, 631; D3/265; D12/417, 191; 150/141, 147; 224/277, 312, 327; 206/444, 45.24; 248/97.5**

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|----------------|-------|-----------|
| D. 132,770 | 6/1942 | Hoople | | D12/417 |
| D. 294,660 | 3/1988 | Strongwater | | D12/417 |
| D. 310,301 | 9/1990 | Burrow | | D3/265 |
| D. 343,514 | 1/1994 | Underwood, Jr. | | D12/417 |
| D. 354,471 | 1/1995 | Moseley | | D12/417 |
| 2,707,072 | 4/1955 | Sims | | 224/312 |
| 3,016,262 | 1/1962 | Hunt | | 224/312 |
| 4,079,767 | 3/1978 | Howard | | 150/3 |
| 4,285,554 | 8/1981 | Bell et al. | | 224/312 |
| 4,418,733 | 12/1983 | Kallman | | 383/11 |
| 4,651,872 | 3/1987 | Joyce | | 206/45.24 |
| 4,781,409 | 11/1988 | Harbison | | 296/97.6 |
| 4,844,311 | 7/1989 | Kalen | | 224/312 |

| | | | | |
|-----------|---------|-----------------|-------|---------|
| 4,951,826 | 8/1990 | Tompkins | | 211/40 |
| 5,104,076 | 4/1992 | Goodall, Jr. | | 248/205 |
| 5,165,544 | 11/1992 | Gusenoff et al. | | 206/444 |
| 5,193,681 | 3/1993 | Lievsay | | 206/444 |
| 5,195,668 | 3/1993 | Kunes et al. | | D3/265 |

OTHER PUBLICATIONS

Velcro *Product News*, Velcro USA Inc., New York, PN No. 62, Nov. 1979 (2 pages).


Primary Examiner—C. A. Murphy
Attorney, Agent, or Firm—Seed and Berry

[57] **CLAIM**

The ornamental design for compact disc holder attachable to a vehicle visor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a compact disc holder attachable to a vehicle visor in a position of use, the broken lines showing a visor being for illustrative purposes only and forming no part of the claimed design; FIG. 2 is an enlarged perspective view thereof shown rotated clockwise 120 degrees; FIG. 3 is rear perspective view of FIG. 2; FIG. 4 is a reduced rear elevational view thereof shown in an open position; and, FIG. 5 is a front elevational view of FIG. 4. The broken lines shown on the claimed article throughout the views are understood to represent conventional stitching.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5