



US00D362174S

United States Patent [19]

[11] Patent Number: **Des. 362,174**

Sachs

[45] Date of Patent: **** Sep. 12, 1995**

[54] ATTACHMENT BRACKET

DESCRIPTION

[76] Inventor: **Isaac Sachs**, 283 Newton,
Dollard-des-Ormeaux, Quebec,
Canada, H9A 3G1

[**] Term: **14 Years**

[21] Appl. No.: **19,487**

[22] Filed: **Mar. 3, 1994**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 323, Oct. 13, 1992,
Pat. No. Des. 344,886.

[52] U.S. Cl. **D8/354**

[58] Field of Search **D8/373, 354, 356, 349;**
248/476, 300, 200, 74.1, 58

[56] References Cited

U.S. PATENT DOCUMENTS


- D. 215,141 9/1969 Harmsen D8/354 X
- D. 331,006 11/1992 Dziejcz D8/356
- D. 338,826 8/1993 Schmidt et al. D8/373

Primary Examiner—A. Hugo Word
Assistant Examiner—Holly Baynham
Attorney, Agent, or Firm—Longacre & White

[57] CLAIM

The ornamental design for an attachment bracket, as shown and described.

FIG. 1 is a left side, top and front perspective view of an attachment bracket showing my new design;
 FIG. 2 is a side elevational view thereof, the opposite side being a mirror image of that shown;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a left side, top and front perspective view of an attachment bracket showing another embodiment of my new design;
 FIG. 8 is a side elevational view of FIG. 7, the opposite side being a mirror image of that shown;
 FIG. 9 is a front elevational view of FIG. 7;
 FIG. 10 is a rear elevational view of FIG. 7;
 FIG. 11 is a top plan view of FIG. 7;
 FIG. 12 is a bottom plan view of FIG. 7;
 FIG. 13 is a left side, top and front perspective view of an attachment bracket showing a further embodiment of my new design;
 FIG. 14 is a side elevational view of FIG. 13, the opposite side being a mirror image of that shown;
 FIG. 15 is a front elevational view of FIG. 13;
 FIG. 16 is a rear elevational view of FIG. 13;
 FIG. 17 is a top plan view of FIG. 13;
 FIG. 18 is a bottom plan view of FIG. 13;
 FIG. 19 is a left side, top and front perspective view of an attachment bracket showing yet a further embodiment of my new design;
 FIG. 20 is a side elevational view of FIG. 19, the opposite side being a mirror image of that shown;
 FIG. 21 is a front elevational view of FIG. 19;
 FIG. 22 is a rear elevational view of FIG. 19;
 FIG. 23 is a top plan view of FIG. 19; and,
 FIG. 24 is a bottom plan view of FIG. 19.






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 11




FIG. 10




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 17




FIG. 16




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 23




FIG. 22




FIG. 24