



US00D362190S

United States Patent [19]

[11] Patent Number: **Des. 362,190**

Neuse

[45] Date of Patent: **** Sep. 12, 1995**

[54] **CORNER CLOCK**

D. 333,620	3/1993	Moore	D10/29
D. 344,238	2/1994	Oren	D10/7
3,262,258	7/1966	Poynter	368/80
3,264,817	8/1966	Beguin	D10/23 X

[76] Inventor: **Raymond Neuse**, 115 Neeley Ave., Spartanburg, S.C. 29302

[**] Term: **14 Years**

FOREIGN PATENT DOCUMENTS

[21] Appl. No.: **31,286**

393879 5/1991 Germany 368/285

[22] Filed: **Nov. 21, 1994**

Primary Examiner—Nelson C. Holtje

Attorney, Agent, or Firm—Kevin A. Sembrat

[52] U.S. Cl. **D10/22; D10/21**

[58] Field of Search **D10/1-40, D10/122-132; 368/276-277, 223, 232, 316, 317, 285**

[57] CLAIM

The ornamental design for a corner clock, as shown and described.


[56] References Cited

DESCRIPTION

U.S. PATENT DOCUMENTS

D., 242,990	1/1977	Jorgenson	D10/20
D. 270,523	9/1983	Mox	D10/22
D. 297,512	9/1988	Kowabenko et al.	D10/22
D. 313,357	1/1991	Bucgari	D10/23
D. 319,021	8/1991	Lee	D10/20
D. 319,396	8/1991	Mayuzumi	D10/26 X

FIG. 1 is a front, top and left side perspective view of a corner clock showing my new design; FIG. 2 is a top plan view thereof, with the bottom constituting a mirror-image of the top; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; and, FIG. 5 is a rear, top and left side view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5