



US00D362222S

United States Patent [19]

[11] Patent Number: **Des. 362,222**

Guspodin et al.

[45] Date of Patent: **** Sep. 12, 1995**

[54] TIRE

[75] Inventors: **James G. Guspodin, Akron; John J. Freer, Munroe Falls; Roger N. Klaas, Wadsworth, all of Ohio**

[73] Assignee: **Bridgestone/Firestone, Inc., Akron, Ohio**

[**] Term: **14 Years**

[21] Appl. No.: **22,038**

[22] Filed: **Mar. 30, 1994**

[52] U.S. Cl. **D12/147**

[58] Field of Search **D12/136, 137, 146-151; 152/209 R, 209 A, 209 B, 209 D**

D. 304,705 11/1989 Monta D12/146
D. 307,406 4/1990 Tatsumi D12/147
D. 313,961 1/1991 Hasegawa D12/151

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Carmen Santa Maria

[57] CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a right side perspective view of a tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a right side elevational view, the opposite side being a mirror image thereof; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 277,562 2/1985 Kawajiri et al. D12/149
D. 301,219 5/1989 Igarashi D12/146
D. 301,443 6/1989 Fujiki D12/147






FIG-1




FIG-2




FIG-3




FIG-4