



US00D362229S

United States Patent [19]

[11] Patent Number: Des. 362,229

Moses

[45] Date of Patent: ** Sep. 12, 1995

[54] **OUTLET, SWITCHED EXTENSION CORD**

5,238,424 8/1993 Vindum 439/505 X

[75] Inventor: Steven R. Moses, Carmel, Ind.

FOREIGN PATENT DOCUMENTS

[73] Assignee: Woods Industries, Inc., Carmel, Ind.

36136 6/1987 Taiwan .
9007207 6/1990 WIPO .

[**] Term: 14 Years

OTHER PUBLICATIONS

[21] Appl. No.: 9,620

Gilbert switched cord set on p. 154 of *Home Lighting and Accessories*, Oct. 1992.

[22] Filed: Jun. 16, 1993

Primary Examiner—Joel Sincavage

[52] U.S. Cl. D13/142; D13/140

Attorney, Agent, or Firm—McAndrews, Held & Malloy, Ltd.

[58] Field of Search D13/134, 137, 138, 139, D13/140, 142; 439/502, 505, 650, 651, 652

[56] References Cited

[57] CLAIM


U.S. PATENT DOCUMENTS

The ornamental design for the outlet, switched extension cord, as shown and described.

D. 264,330	5/1982	Dumoulin	D13/140
1,333,003	3/1920	Titus	439/502 X
1,974,472	9/1934	Seghers	439/505 X
1,983,725	12/1934	Abramson	439/505
2,077,801	4/1937	Ludwig	439/502 X
2,201,045	5/1940	Lundstrom	439/505
2,468,773	11/1945	Musinski	439/505 X
2,533,222	12/1950	Cohen	439/505 X
2,640,125	5/1953	Eggers	439/652 X
2,810,895	10/1957	Odegaard	439/650
2,963,676	12/1960	Sneesby et al.	439/502 X
3,009,052	11/1961	Holbrook	D13/134 X
3,019,357	1/1962	Zaffina	439/650 X
3,187,290	6/1965	Winders	439/502 X
3,201,617	8/1965	Pacoroni et al.	439/502 X
3,584,213	6/1971	Meltzer	439/505 X
3,772,633	11/1973	Danesi	439/502
4,025,146	5/1977	Famiglietti et al.	439/622
4,099,824	7/1978	Schoppelrey	439/505
4,215,277	7/1980	Weiner et al.	307/115 X
4,298,241	11/1981	Bernstein	439/622
4,717,350	1/1988	Lax	439/502 X
4,764,128	8/1988	Cheng	439/505 X
4,768,979	9/1988	Wu	439/622
4,830,626	5/1989	Liu	439/650 X
4,834,664	5/1989	Lin	439/622 X
4,911,652	3/1990	Savoca et al.	439/650 X
5,108,307	4/1992	Cohen	439/502
5,167,535	12/1992	Kovacik et al.	439/620
5,176,539	1/1993	Liu	439/622
5,234,360	8/1993	Kramer, Jr.	439/502 X
5,236,374	8/1993	Leonard et al.	439/505

DESCRIPTION

FIG. 1 is a perspective view of an outlet, switched extension cord;
 FIG. 2 is an enlarged, partial view, of the extension cord of FIG. 1, illustrating a single plug, a single switch, and three outlet connectors;
 FIG. 3 is a top view of the plug of FIG. 2;
 FIG. 4 is a right side view of the plug of FIG. 2;
 FIG. 5 is a front end view of the plug of FIG. 2;
 FIG. 6 is a bottom view of the plug of FIG. 2;
 FIG. 7 is a left side view of the plug of FIG. 2;
 FIG. 8 is a rear end view of the plug of FIG. 2;
 FIG. 9 is a top view of the switch of FIG. 2;
 FIG. 10 is a right side view of the switch of FIG. 2;
 FIG. 11 is a front end view of the switch of FIG. 2;
 FIG. 12 is a bottom view of the switch of FIG. 2;
 FIG. 13 is a left side view of the switch of FIG. 2;
 FIG. 14 is a rear end view of the switch of FIG. 2;
 FIG. 15 is a top view and a bottom view of each of the three connectors of FIG. 2;
 FIG. 16 is a right side view and a left side view of each of the connectors of FIG. 2;
 FIG. 17 is a front end view of each of the connectors of FIG. 2;
 FIG. 18 is a rear view of the farthest right connector of FIG. 2; and,
 FIG. 19 is a rear view of each of the left two connectors of FIG. 2.







Fig. 3




Fig. 4



Fig. 5






Fig. 6

Fig. 7

Fig. 8

Fig. 19

Fig. 9





Fig. 12




Fig. 10

Fig. 11




Fig. 13

Fig. 14

Fig. 15




Fig. 17

Fig. 18

Fig. 16

