



US00D362420S

United States Patent [19]

[11] Patent Number: **Des. 362,420**

Heinen et al.

[45] Date of Patent: **** Sep. 19, 1995**

[54] TIRE TREAD

[75] Inventors: **Richard Heinen**, Habay-la-Neuve, Belgium; **John C. M. Munster**, Ettelbruck, Luxembourg

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **19,380**

[22] Filed: **Mar. 1, 1994**

[52] U.S. Cl. **D12/147**

[58] Field of Search **D12/136, 137, 146-151; 152/209 R, 209 A, 209 B, 209 D**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 328,583	8/1992	Grass et al.	D12/147
D. 335,643	5/1993	Hino	D12/147
D. 346,349	4/1994	Himuro et al.	D12/147
D. 351,368	10/1994	Graas et al.	D12/147

OTHER PUBLICATIONS

1993 Tread Design Guide, p. 19, Centennial Interceptor M&S Tire, third row down from top, left side of page. Noika NRW Tire—Sep., 1991.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—T. P. Lewandowski

[57] CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof; and, FIG. 4 is an enlarged fragmentary front view thereof. The tread pattern is understood to be repeated uniformly throughout the circumference of the tire tread. The broken line showing of the tire sidewall in the drawings is for illustrative purposes only and forms no part of the claimed design.






FIG-1




FIG-2




FIG-3




FIG-4