



US00D362532S

# United States Patent [19]

[11] Patent Number: **Des. 362,532**

Thayer et al.

[45] Date of Patent: **\*\* Sep. 19, 1995**

[54] **KIOSK**

[75] Inventors: **Michael B. Thayer**, Rochester;  
**Timothy R. Seely**, Bergen; **Heather E. Wachter**, North Chili, all of N.Y.

[73] Assignee: **Factura Composites Inc.**, East Rochester, N.Y.

[\*\*] Term: **14 Years**

[21] Appl. No.: **22,770**

[22] Filed: **May 11, 1994**

[52] U.S. Cl. .... **D99/28**

[58] Field of Search ..... **D99/28, 99, 43;**  
**D14/100, 105, 102, 106, 115; D20/1-6;**  
**109/24.1; 235/380, 381, 379**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 269,822	7/1983	Barthel .....	D99/28
D. 303,439	9/1989	Savio et al. ....	D99/28
D. 317,071	5/1991	McFadden et al. ....	D99/28
D. 318,553	7/1991	Brown .....	D99/28
D. 323,656	2/1992	McGarvey et al. ....	D14/146
D. 327,766	7/1992	Swaino et al. ....	D99/28
D. 336,716	6/1993	Bell et al. ....	D99/28
4,510,381	4/1985	Fukatsu .....	235/379
5,017,026	5/1991	Takesako et al. ....	400/24

*Primary Examiner*—Martie Thompson  
*Attorney, Agent, or Firm*—M. Lukacher

[57] **CLAIM**

The ornamental design for kiosk, as shown and described.

**DESCRIPTION**

FIG. 1 is a front and left side perspective view of a Kiosk showing the new design;  
 FIG. 2 is a front elevational view;  
 FIG. 3 is a right side elevational view;  
 FIG. 4 is a left side elevational view;  
 FIG. 5 is a rear elevational view;  
 FIG. 6 is a top plan view;  
 FIG. 7 is a bottom plan view;  
 FIG. 8 is a front and left side perspective view of a second embodiment, the opposite side being a mirror image; the rear and bottom views are the same as the first embodiment, except as indicated in FIG. 8;  
 FIG. 9 is a front and left side perspective view of a third embodiment, the opposite side being a mirror image; the rear and bottom views are the same as the first embodiment, except as indicated in FIG. 9; and,  
 FIG. 10 is a front and left side perspective view of a fourth embodiment, the opposite side being a mirror image; the rear and bottom views are the same as the first embodiment, except as indicated in FIG. 10.




FIG. 1




FIG. 2





FIG. 3






FIG. 6




FIG. 5




FIG. 4




FIG. 7

FIG. 8





FIG. 9




FIG. 10