



US00D362613S

United States Patent [19]

[11] Patent Number: **Des. 362,613**

Lott, Sr.

[45] Date of Patent: ****Sep. 26, 1995**

[54] **STABILIZATION ROD**

2,746,822	5/1956	Copenhaver	248/188.5
2,973,870	3/1961	Schoos	211/105.6 X
5,215,411	6/1993	Seegmiller	248/354.1 X

[76] Inventor: **William L. Lott, Sr.**, P.O. Box 157, St. Francisville, La. 70775

[**] Term: **14 Years**

Primary Examiner—A. Hugo Word
Assistant Examiner—Holly Baynham

[21] Appl. No.: **24,783**

[57] **CLAIM**

[22] Filed: **Jun. 21, 1994**

The ornamental design for a stabilization rod, as shown and described.

Related U.S. Application Data

DESCRIPTION

[63] Continuation of Ser. No. 10,142, Jul. 1, 1993, abandoned.

[52] U.S. Cl. **D8/355**

[58] Field of Search D8/355, 376; 248/188.5, 248/295.1, 283, 156, 159, 354.1; 211/105.3–105.4, 105.6

FIG. 1 is a front elevational view of the stabilization rod showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

[56] References Cited

The contrasting shading on the end brackets represents an adhesive surface.

U.S. PATENT DOCUMENTS

D. 331,872	12/1992	Maruko	D8/376
1,299,556	4/1919	Crecelius	211/105.3

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

