



US00D362851S

United States Patent [19]

[11] Patent Number: **Des. 362,851**

Shinohara et al.

[45] Date of Patent: ****Oct. 3, 1995**

[54] COMBINED TELEVISION RECEIVER AND VIDEO RECORDER

[75] Inventors: **Noriyuki Shinohara; Masami Takahashi**, both of Ehime, Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **25,844**

[22] Filed: **Jul. 13, 1994**

[30] Foreign Application Priority Data

Jan. 14, 1994 [JP] Japan 6-515

[52] U.S. Cl. **D14/129**

[58] Field of Search D14/124-134,
D14/113; 312/7.2; 348/825, 836, 838

[56] References Cited

U.S. PATENT DOCUMENTS

D. 289,398	4/1987	Cluboff et al.	D14/126
D. 310,363	9/1990	Shim	D14/129
D. 351,157	10/1994	Vsami et al.	D14/129

OTHER PUBLICATIONS

Sanyo catalog issued Oct. 1993, 1 page.
Sony catalog issued Oct. 1993, 1 page.

Primary Examiner—Terry A. Wallace
Assistant Examiner—Richelle Shelton
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for a combined television receiver and video recorder, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the top, front and right side of a combined television receiver and video recorder showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a rear elevational view thereof.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

