



US00D362861S

United States Patent [19]

[11] Patent Number: **Des. 362,861**

Barker

[45] Date of Patent: ****Oct. 3, 1995**

[54] **SIDE NOTCH PURGE STRAP FOR WELDING**

952952 3/1964 United Kingdom .
2189177 10/1987 United Kingdom .

[76] Inventor: **Michael R. Barker**, 4229 Barfield St.,
Concord, N.C. 28027

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Ralph H. Dougherty; Scott E. Hanf

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **28,745**

The ornamental design for a side notch purge strap for welding, as shown and described.

[22] Filed: **Sep. 21, 1994**

DESCRIPTION

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 994,111, Dec. 21, 1992, Pat. No. 5,361,972.

[52] U.S. Cl. **D15/144**

[58] Field of Search D15/144, 144.1, D15/144.2; D10/30-32, 38, 39; D6/894, 877; D11/3-5, 9, 10; D8/19, 353-356, 382, 499; 228/219, 42, 49.3; 219/74, 549; 63/3-11; 248/300, 693, 74.3

FIG. 1 is a perspective view of a side notch purge strap for welding showing my new design;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a left end elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a right end elevational view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a perspective view of a second embodiment thereof;
FIG. 9 is a right side elevational view thereof;
FIG. 10 is a left end elevational view thereof;
FIG. 11 is a top plan view thereof;
FIG. 12 is a right end elevational view thereof;
FIG. 13 is a left side elevational view thereof;
FIG. 14 is a bottom plan view thereof;
FIG. 15 is a perspective view of a third embodiment thereof;
FIG. 16 is a right side elevational view thereof;
FIG. 17 is a left end elevational view thereof;
FIG. 18 is a top plan view thereof;
FIG. 19 is a right end elevational view thereof;
FIG. 20 is a left side elevational view thereof;
FIG. 21 is a bottom plan view thereof;
FIG. 22 is a perspective view of a fourth embodiment thereof;
FIG. 23 is a right side elevational view thereof;
FIG. 24 is a left end elevational view thereof;
FIG. 25 is a top plan view thereof;
FIG. 26 is a right end elevational view thereof;
FIG. 27 is a left side elevational view thereof;
FIG. 28 is a bottom plan view thereof.

[56] References Cited


U.S. PATENT DOCUMENTS

D. 297,144	8/1988	Kazlauskas	D15/144
1,919,677	7/1933	Young	.	
2,374,815	5/1945	Haas	219/211
2,805,316	9/1957	Chapman	219/72
2,846,968	8/1958	Tipton	113/102
2,981,824	4/1961	Kitrell	219/125
3,652,818	3/1972	Erlandson et al.	219/72
3,736,400	5/1973	Spiegel et al.	219/60 A
4,018,962	4/1977	Pedlow	428/245
4,018,988	4/1977	Pedlow	174/135
4,344,556	8/1982	Knapp	228/50
4,354,088	10/1982	Rehrig	219/75
4,532,403	7/1985	Jordan et al.	219/121 ED
4,828,160	5/1989	Sundholm	228/42
4,877,462	10/1989	Sugita	148/12 B
4,912,293	3/1990	Mueller et al.	219/74
4,912,299	3/1990	Oros et al.	219/137 PS
4,916,281	4/1990	Flasche et al.	219/61
4,939,818	7/1990	Hahn	D8/382 X
5,398,862	3/1995	Aleman	219/74 X

FOREIGN PATENT DOCUMENTS

3-193298 8/1991 Japan .

1 Claim, 4 Drawing Sheets






Fig. 1



Fig. 2



Fig. 3

Fig. 4

Fig. 5



Fig. 6



Fig. 7




Fig. 8




Fig. 9



Fig. 10




Fig. 11



Fig. 12




Fig. 13




Fig. 14




Fig. 15



Fig. 16



Fig. 17




Fig. 18



Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24

Fig. 25

Fig. 26



Fig. 27




Fig. 28