



US00D363122S

United States Patent [19]

[11] Patent Number: **Des. 363,122**

Uetake

[45] Date of Patent: ****Oct. 10, 1995**

[54] SUTURE NEEDLE-HOLDING FORCEPS

FOREIGN PATENT DOCUMENTS

[76] Inventor: **Koichi Uetake**, 2-41, Toride 3-chome, Toride-shi, Ibaraki-ken, Japan

8806867 9/1988 WIPO 606/205

[**] Term: **14 Years**

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—I. Simmons
Attorney, Agent, or Firm—Jordan and Hamburg

[21] Appl. No.: **23,633**

[57] CLAIM

[22] Filed: **May 27, 1994**

The ornamental design for a suture needle-holding forceps, as shown and described.

[52] U.S. Cl. **D24/143**

[58] Field of Search D24/143; 606/205, 606/206, 207, 208, 137, 139

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

2,478,595	8/1949	Richter	606/206	X
2,597,394	5/1952	Snowden	D24/143	X
2,668,538	2/1954	Baker	606/207	
3,150,666	9/1964	Auerbach	D24/143	X
3,446,211	5/1969	Markham	606/207	
3,459,187	8/1969	Pollotta	606/208	
3,503,398	3/1970	Fogarty et al.	606/205	
3,866,610	2/1975	Kletschka	606/208	
4,088,134	5/1978	Mazzariello	606/207	
4,226,240	10/1980	Walker, Jr.	606/207	

FIG. 1 is a front elevational view of a suture needle-holding forceps showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is an top plan view thereof in a opened position; and, FIG. 8 is a left side elevational view thereof shown in use, the broken line showing on the suture needle is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

