



US00D363298S

United States Patent [19] Takemi

[11] Patent Number: Des. 363,298

[45] Date of Patent: **Oct. 17, 1995

[54] SPOT WELDING MACHINE

4,656,327 4/1987 Wilcox 219/86.21

4,924,055 5/1990 Nakahigasi et al. 219/86.21

[76] Inventor: **Tanaka Takemi**, No. 5-1-17-605,
Nishi-Shinjuku, Shinjuku-ku, Tokyo,
Japan*Primary Examiner*—Antoine Duval Davis
Attorney, Agent, or Firm—Armstrong, Westerman, Hattori,
McLeland & Naughton

[**] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 30,362

The ornamental design for a spot welding machine, as
shown and described.

[22] Filed: Oct. 27, 1994

[52] U.S. Cl. D15/144

[58] Field of Search D15/132, 144;
219/86.21, 86.33

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

D. 268,185 3/1983 Hirose et al. D15/132
D. 327,694 7/1992 Tanaka D15/144
2,408,847 10/1946 Gross et al. 219/86.21
2,929,913 3/1960 Miller 219/86.21 X
4,484,055 11/1984 Haines et al. 219/86.21
4,504,724 3/1985 Szantho et al. 219/86.33 X
4,510,370 4/1985 Szantho et al. 219/86.33 X

FIG. 1 is a top plan, elevational, right hand quartering
perspective view of a spot welding machine embodying the
present design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right hand end view thereof; and,

FIG. 7 is a left hand end view thereof.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

