



US00D363349S

# United States Patent [19]

Dittert

[11] Patent Number: **Des. 363,349**

[45] Date of Patent: **\*\*Oct. 17, 1995**

[54] **RADIATION INSTRUMENT**

4,283,661 8/1981 Doty ..... 607/90 X  
4,298,005 11/1981 Mutzhas ..... 250/503.1 X

[75] Inventor: **Karl Dittert**, Schwaebisch-Gmuemd,  
Germany

*Primary Examiner*—Stella Reid  
*Attorney, Agent, or Firm*—Townsend and Townsend and  
Crew

[73] Assignee: **Maxs AG**, Sachseln, Switzerland

[\*\*] Term: **14 Years**

### [57] CLAIM

[21] Appl. No.: **8,707**

The ornamental design for a radiation instrument, as shown  
and described.

[22] Filed: **May 7, 1993**

### DESCRIPTION

[30] **Foreign Application Priority Data**

FIG. 1 is a front-side elevational, perspective view of a  
radiation instrument showing my new design;  
FIG. 2 is a side elevational view thereof and is taken at a  
slight angle downward to the horizontal;  
FIG. 3 is a front elevational view thereof and is taken at a  
slight angle downward to the horizontal;  
FIG. 4 is a perspective, rear elevational view thereof and  
shows the radiation device with its casing in the opened  
state; and,  
FIG. 5 is a bottom plan view thereof.

Nov. 11, 1992 [DE] Germany ..... M 92 08 484.2

[52] U.S. Cl. .... **D24/158**


[58] Field of Search ..... D24/158; 250/504 R,  
250/503.1; 607/90

[56] **References Cited**

#### U.S. PATENT DOCUMENTS

1,510,080 9/1924 Murphy ..... 607/90  
2,016,474 10/1935 Wood ..... 607/90  
3,648,706 3/1972 Holzer ..... 607/90

**1 Claim, 5 Drawing Sheets**






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5